Index to volume 140

AUTHOR INDEX*

A

Aaron JM (*see* Aranha et al). 2006;140:561-9
Adachi T (*see* Tajima et al). 2006;140:773-8
Adams PL (*see* Moore et al). 2006;140:597-606
Adamson B (*see* DuBay et al). 2006;140:14-24
Ågren MS, Andersen TL, Mirastschijski U, Syk I, Schiødt CB, Surve V, Lindebjerg J, Delaissé, J-M. Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study. 2006;140:72-82
Akamoto S (*see* Okano et al). 2006;140:118-9
Akers WS (*see* Yam et al). 2006;140:541-52
Alam HB, Chen Z, Li Y, Velmahos G, DeMoya M, Keller CE, Toruno K, Mehrani T, Rhee P, Spaniolas K. Profound hypothermia is superior to ultraprofound hypothermia in improving survival in a swine model of lethal injuries. 2006;140:307-14
Alesina PF (*see* Walz et al). 2006;140:943-50
Alloni R (*see* Ripetti et al). 2006;140:435-40
Andersen TL (*see* Ågren et al). 2006;140:72-82
Anderson MB (*see* Norcini et al). 2006;140:338-46
Anderson TK (*see* Moore et al). 2006;140:597-606
Angelos P, Murphy TF, Sampson H, Hollings DD, Kshettry V. Informed consent, capitation, and conflicts of interest in clinical trials: Views from the field. 2006;140:740-8
Angelos P (*see* Chiu et al). 2006;140:418-22
Angelos P (*see* Zanocco et al). 2006;140:874-82
Antonelli A, Miccoli P, Fallahi P, Ferrari SM, Grosso M, Boni G, Berti P. Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children. 2006;140:1035-42
Aranha GV, Aaron JM, Shoup M, Pickleman J. Current management of pancreatic fistula after pancreaticoduodenectomy. 2006;140:561-9
Arbabi S (*see* Wahl et al). 2006;140:684-90
Are C, Gonen M, D'Angelica M, DeMatteo RP, Fong Y, Blumgart LH, Jarnagin WR. Differential diagnosis of proximal biliary obstruction. 2006;140:756-63
Arons RR (*see* Bessey et al). 2006;140:705-17
Asbun H (*see* Paton et al). 2006;140:914-20
Avansino JR, Chen DC, Hoagland VD, Woolman JD, Stelzner M. Orthotopic transplantation of intestinal mucosal organoids in rodents. 2006;140:423-34
Ayav A (*see* Jiao et al). 2006;140:464-6
Ayers GD (*see* Rodgers et al). 2006;140:932-41

B

Backes AN (*see* Osvaldt et al). 2006;140:803-9
Bafford R, Sui XX, Wang G, Conte M. Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: Potential relevance to vein graft hyperplasia. 2006;140:289-96

*July pp. 1-122; August pp. 123-330; September pp. 331-484; October pp. 485-718; November pp. 719-840; December pp. 841-1096.

Banerjee A (*see* Escobar et al). 2006;140:268-72
Banerjee A (*see* Ciesla et al). 2006;140:640-8
Barbu A (*see* Wilhelm et al). 2006;140:553-60
Barie PS (*see* Payen et al). 2006;140:726-39
Barros MB (*see* Lozano et al). 2006;140:83-92
Bartholomew A (*see* Moadsiri et al). 2006;140:315-21
Bartlett ST (*see* Shi et al). 2006;140:281-8
Baulieux J (*see* Mabrut et al). 2006;140:818-23
Behrends M (*see* Niemann et al). 2006;140:404-12
Bellantone R (*see* Lombardi et al). 2006;140:1016-25
Bellantone R (*see* Lombardi et al). 2006;140:1026-34
Benoist S, Salabert A-S, Penna C, Karoui M, Julié C, Rougier P, Nordlinger B. Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients. 2006;140:396-403
Berber E (*see* Sharma et al). 2006;140:856-65
Berdon WE (*see* Cowles et al). 2006;140:113-7
Berger DL (*see* Sandberg et al). 2006;140:372-8
Berrettini A (*see* Intra et al). 2006;140:467-71
Bersch VP (*see* Osvaldt et al). 2006;140:803-9
Berti P (*see* Antonelli et al). 2006;140:1035-42
Bessey PQ, Arons RR, DiMaggio CJ, Yurt RW. The vulnerabilities of age: burns in children and older adults. 2006;140:705-17
Beyer T (*see* Edwards et al). 2006;140:655-64
Bianchi C (*see* Feng et al). 2006;140:192-7
Bianchi C (*see* Ramlawi et al). 2006;140:221-6
Bilkenroth U (*see* Brauckhoff et al). 2006;140:953-9
Billiar TR (*see* Kohmoto et al). 2006;140:179-85
Black FW (*see* Stefanidis et al). 2006;140:252-62
Bland KI (*see* Suzuki et al). 2006;140:141-48
Blumberg D (*see* Raftopoulos et al). 2006;140:675-83
Blumgart LH (*see* Are et al). 2006;140:756-63
Bockisch A (*see* Frilling et al). 2006;140:968-77
Boll V (*see* Gould et al). 2006;140:524-31
Boni G (*see* Antonelli et al). 2006;140:1035-42
Boodhwani M (*see* Feng et al). 2006;140:192-7
Boodhwani M (*see* Ramlawi et al). 2006;140:221-6
Booth, nswick, NJ; and Indianapolis, IN FVM (*see* Payen et al). 2006;140:726-39
Borrelli V, di Marzo L, Sapienza P, Colasanti M, Moroni E, Cavallaro A. Role of platelet-derived growth factor and transforming growth factor β_1 in the regulation of metalloproteinase expressions. 2006;140:454-63
Boschin IM (*see* Toniato and Boschin). 2006;140:482
Brauckhoff M, Meinicke A, Bilkenroth U, Lorenz K, Brauckhoff K, Gimm O, Thanh PN, Dralle H. Long-term results and functional outcome after cervical evisceration in patients with thyroid cancer. 2006;140:953-9
Brauckhoff K (*see* Brauckhoff et al). 2006;140:953-9
Brei D (*see* Spencer et al). 2006;140:212-20
Brennan MF. The international medical graduate in the US surgical training system: Perspectives of an aging warrior. 2006;140:362-6
Brennan TA (*see* Rogers et al). 2006;140:25-33
Broelsch CE (*see* Frilling et al). 2006;140:968-77
Brown L, Roda J, Terrell C, Chaudhury AR, Crespin T, Carson WE, Lesinski GB. Interferon α and CPG oligodeoxynucleo-

tides elicit additive immunostimulatory and antitumor effects. 2006;140:297-306
Brunt LM (*see* Perrone et al). 2006;140:491-9
Büchler MW (*see* Reidel et al). 2006;140:907-13
Burch JM (*see* Ciesla et al). 2006;140:640-8
Burdio F, Navarro A, Güemes A, Sousa R, Tejero E, Lozano R. Does thermal ablation promote liver metastases progression more than resection?. 2006;140:479
Burger C (*see* Matsumoto et al). 2006;140:793-802
Burney RE (*see* Miller et al). 2006;140:883-90

C

Cahill RA, Wang JH, Soohkai S, Redmond HP. Mast cells facilitate local VEGF release as an early event in the pathogenesis of postoperative peritoneal adhesions. 2006;140:108-12
Cameron JL (*see* Riall et al). 2006;140:764-72
Camp P (*see* Yam et al). 2006;140:541-52
Campbell KA (*see* Riall et al). 2006;140:764-72
Cance WG (*see* McAuliffe and Cance). 2006;140:1-5
Canty T (*see* Sandberg et al). 2006;140:372-8
Cao Y, Deng C, Townsend CM Jr, Ko TC. TGF-β inhibits Akt-induced transformation in intestinal epithelial cells. 2006;140:322-9
Caputo D (*see* Ripetti et al). 2006;140:435-40
Caronno R, Piffaretti G, Tozzi M, Lomazzi C, Laganà D, Carrafiello G, Cuffari S, Castelli P. Emergency endovascular stent-graft treatment for acute thoracic aortic syndromes. 2006;140:58-65
Carrafiello G (*see* Caronno et al). 2006;140:58-65
Carrozza C (*see* Lombardi et al). 2006;140:1016-25
Carson WE (*see* Brown et al). 2006;140:297-306
Cascajo C (*see* Lozano et al). 2006;140:83-92
Castaldo ET, Stumph JR, Merchant N. Lymphoepithelial cyst of the pancreas. 2006;140:476-8
Castelli P (*see* Caronno et al). 2006;140:58-65
Cautero N (*see* Di Benedetto et al). 2006;140:835
Cauthen LA (*see* Dickson et al). 2006;140:227-35
Cavallaro A (*see* Borrelli et al). 2006;140:454-63
Celso BG (*see* Pracht et al). 2006;140:34-43
Chagas EM (*see* Intra et al). 2006;140:467-71
Chai H, Yan S, Wang H, Zhang R, Lin PH, Yao Q, Chen C. CD40 ligand increases expression of its receptor CD40 in human coronary artery endothelial cells. 2006;140:236-42
Chai H (*see* Yan et al). 2006;140:243-51
Chan W-F, Hung-Hin Lang B, Lo C-Y. The role of intraoperative neuromonitoring of recurrent laryngeal nerve during thyroidectomy: A comparative study on 1000 nerves at risk. 2006;140:866-73
Chang D (*see* Riall et al). 2006;140:764-72
Chaudhury AR (*see* Brown et al). 2006;140:297-306
Chaudry IH (*see* Suzuki et al). 2006;140:141-48
Cheadle WG (*see* Draus Jr et al). 2006;140:570-8
Chen C (*see* Chai et al). 2006;140:236-42
Chen C (*see* Yan et al). 2006;140:243-51
Chen C-L (*see* Takatsuki et al). 2006;140:824-8
Chen C-L (*see* Ibrahim et al). 2006;140:749-55
Chen DC (*see* Avansino et al). 2006;140:423-34
Chen H (*see* Kunnimalaiyaan et al). 2006;140:1009-15
Chen T-H (*see* Shyu et al). 2006;140:44-9
Chen Z (*see* Alam et al). 2006;140:307-14
Cheng Y-F (*see* Ibrahim et al). 2006;140:749-55
Cheng Y-F (*see* Takatsuki et al). 2006;140:824-8
Chertow GM (*see* Triponez et al). 2006;140:990-9
Chiang F-Y, Lin J-C, Lee K-W, Wang L-F, Tsai K-B, Wu C-W, Lu S-P, Kuo W-R. Thyroid tumors with preoperative recurrent laryngeal nerve palsy: Clinicopathologic features and treatment outcome. 2006;140:413-7
Chiang Y-C (*see* Takatsuki et al). 2006;140:824-8
Chiu B, Sturgeon C, Angelos P. What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy. 2006;140:418-22
Choi AM (*see* Kohmoto et al). 2006;140:179-85
Choi S (*see* Niemann et al). 2006;140:404-12
Choudhry MA (*see* Suzuki et al). 2006;140:141-48
Christophi C (*see* Nikfarjam and Christophi). 2006;140:480
Chu QD (*see* Wolfort et al). 2006;140:161-69
Churchward M (*see* Sherman et al). 2006;140:1056-62
Ciesla DJ, Moore EE, Johnson JL, Cothren CC, Banerjee A, Burch JM, Sauaia A. Decreased progression of postinjury lung dysfunction to the acute respiratory distress syndrome and multiple organ failure. 2006;140:640-8
Cimino F (*see* Fichera et al). 2006;140:649-54
Ciocca M (*see* Intra et al). 2006;140:467-71
Claridge JA (*see* Rajani et al). 2006;140:625-32
Clark OH (*see* Triponez et al). 2006;140:990-9
Clark OH (*see* Kebebew et al). 2006;140:960-7
Clements R (*see* Feng et al). 2006;140:192-7
Coatney JL (*see* Niemann et al). 2006;140:404-12
Coimbra R (*see* Deree et al). 2006;140:186-91
Colasanti M (*see* Borrelli et al). 2006;140:454-63
Collard J-M (*see* Mabrut et al). 2006;140:818-23
Como JJ (*see* Rajani et al). 2006;140:625-32
Concejero A (*see* Ibrahim et al). 2006;140:749-55
Concejero A (*see* Takatsuki et al). 2006;140:824-8
Conte M (*see* Bafford et al). 2006;140:289-96
Cooper JV (*see* Henke et al). 2006;140:532-40
Coppola R (*see* Ripetti et al). 2006;140:435-40
Cornford L (*see* Sywak et al). 2006;140:1000-7
Cothren CC (*see* Ciesla et al). 2006;140:640-8
Courcoulas AP (*see* Raftopoulos et al). 2006;140:675-83
Cowles RA, Schullinger JN, Berdon WE. Thomas Vincent Santulli: A central figure in the development of pediatric surgery in New York City. 2006;140:113-7
Crespin T (*see* Brown et al). 2006;140:297-306
Cuffari S (*see* Caronno et al). 2006;140:58-65
Czerniecki BJ (*see* Xu et al). 2006;140:170-8

D

Daily B (*see* Sandberg et al). 2006;140:372-8
D'Alatri L (*see* Lombardi et al). 2006;140:1026-34
D'Amore A (*see* Lombardi et al). 2006;140:1016-25
D'Angelica M (*see* Are et al). 2006;140:756-63
Dasika N (*see* Henke et al). 2006;140:532-40
Davidoff AM (*see* Dickson et al). 2006;140:227-35
Davis EG, Scoggins CR, Goldstein RE, Goldberg JM. Ovarian mucinous cystadenoma as an etiology of the Zollinger-Ellison Syndrome. 2006;140:836
Dawson C (*see* Wahl et al). 2006;140:684-90
Dayton MT (*see* Hassett et al). 2006;140:633-9
de Benedetti A (*see* Wolfort et al). 2006;140:161-69
de Ruvo N (*see* Di Benedetto et al). 2006;140:835
de Wilt JHW (*see* Vermaas et al). 2006;140:120
Debas HT. The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States. 2006;140:359-61
Deitch EA (*see* Fujiyoshi et al). 2006;140:810-7
Delaissé, J-M (*see* Ågren et al). 2006;140:72-82
Delbridge L (*see* Sywak et al). 2006;140:1000-7
Deligiannis A (*see* Walz et al). 2006;140:943-50
DeMatteo RP (*see* Are et al). 2006;140:756-63

DeMoya M (*see* Alam et al). 2006;140:307-14
Deng C (*see* Cao et al). 2006;140:322-9
Dennis RG (*see* DuBay et al). 2006;140:14-24
Deree J, Lall R, Melbostad H, Loomis W, Hoyt DB, Coimbra R. Pentoxifylline attenuates stored blood-induced inflammation: A new perspective on an old problem. 2006;140:186-91
Detry R (*see* Mabrut et al). 2006;140:818-23
Di Benedetto F, Cautero N, de Ruvo N, Masetti M, Montalti R, Gerunda GE, Quintini C. A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation. 2006;140:835
di Marzo L (*see* Borrelli et al). 2006;140:454-63
Di Stasio E (*see* Lombardi et al). 2006;140:1016-25
Dickinson S (*see* Wahl et al). 2006;140:684-90
Dickson PV, Hamner JB, Cauthen LA, Ng CYC, McCarville MB, Davidoff AM. Efficacy of zoledronate against neuroblastoma. 2006;140:227-35
Diggs BS (*see* Givi et al). 2006;140:891-8
Dillon MF, Quinn CM, McDermott EW, O'Doherty A, O'Higgins N, Hill AD. Needle core biopsy in the diagnosis of phyllodes neoplasm. 2006;140:779-84
DiMaggio CJ (*see* Bessey et al). 2006;140:705-17
Dimick JB, Finlayson SRG. Rural hospitals and volume standards in surgery. 2006;140:367-71
Djuricin G (*see* Edwards et al). 2006;140:655-64
Doares W (*see* Moore et al). 2006;140:597-606
Dobrinja C (*see* Lombardi et al). 2006;140:1016-25
Doherty DB (*see* Rodgers et al). 2006;140:932-41
Doherty GM. Invited commentary: Routine central neck lymph node dissection for thyroid carcinoma. 2006;140:1008
Doherty GM (*see* Miller et al). 2006;140:883-90
Doi R (*see* Koizumi et al). 2006;140:273-80
Doi R (*see* Masui et al). 2006;140:149-60
Dosseh D (*see* Triponez et al). 2006;140:990-9
Dralle H (*see* Brauckhoff et al). 2006;140:953-9
Draus JM Jr, Huss SA, Harty NJ, Cheadle WG, Larson GM. Enterocutaneous fistula: Are treatments improving?. 2006; 140:570-8
Duan H-F (*see* Liu et al). 2006;140:441-7
DuBay DA, Wang X, Adamson B, Kuzon WM, Jr, Dennis RG, Franz MG. Mesh incisional herniorrhaphy increases abdominal wall elastic properties: A mechanism for decreased hernia recurrences in comparison with suture repair. 2006;140:14-24
Duh Q-Y (*see* Kebebew et al). 2006;140:960-7
Duh Q-Y (*see* Triponez et al). 2006;140:990-9
Dunne JB (*see* Stefanidis et al). 2006;140:252-62
Dunnington GL (*see* McLafferty et al). 2006;140:616-24
Dunnington GL (*see* Peralta et al). 2006;140:607-15

E

Eagle KA (*see* Henke et al). 2006;140:532-40
Eagon JC (*see* Perrone et al). 2006;140:491-9
Edeiken BS (*see* Rodgers et al). 2006;140:932-41
Edelweiss MIA (*see* Osvaldt et al). 2006;140:803-9
Edwards ME, Rotramel A, Beyer T, Gaffud MJ, Djuricin G, Loviscek K, Solorzano CC, Prinz RA. Improvement in the health-related quality-of-life symptoms of hyperparathyroidism is durable on long-term follow-up. 2006;140:655-64
Efron PA (*see* Matsumoto et al). 2006;140:793-802
Eggermont AMM (*see* Vermaas et al). 2006;140:120
Eisler M (*see* Lenglinger et al). 2006;140:479
Ekeblad S (*see* Stålberg et al). 2006;140:921-31
El-Sawaf M (*see* Spencer et al). 2006;140:212-20
England BG (*see* Miller et al). 2006;140:883-90
Engle DL (*see* Peralta et al). 2006;140:607-15
Escobar GA, McIntyre RC, Jr, Moore EE, Gamboni-Robertson F, Banerjee A. Clathrin heavy chain is required for TNF-induced inflammatory signaling. 2006;140:268-72
Evans DB, Perrier ND. Invited commentary: On "Posterior retroperitoneoscopic adrenalectomy—results of 560 procedures in 520 patients". 2006;140:951-2
Evans DB (*see* Rodgers et al). 2006;140:932-41
Evers BM (*see* Rychahou et al). 2006;140:719-25

F

Faa G (*see* Piga et al). 2006;140:837-8
Fallahi P (*see* Antonelli et al). 2006;140:1035-42
Fang J (*see* Henke et al). 2006;140:532-40
Farber DL (*see* Shi et al). 2006;140:281-8
Farley DR (*see* Sherman et al). 2006;140:1056-62
Farley DR (*see* Lamb and Farley). 2006;140:351-3
Farmer PK (*see* Gletsu et al). 2006;140:50-7
Farney AC (*see* Moore et al). 2006;140:597-606
Farrow BJ (*see* Rychahou et al). 2006;140:719-25
Fatima J (*see* Nelson et al). 2006;140:517-23
Fattori R (*see* Henke et al). 2006;140:532-40
Fauza DO (*see* Fuchs et al). 2006;140:100-7
Fazio VW (*see* Sagap et al). 2006;140:691-704
Feketeova E (*see* Fujiyoshi et al). 2006;140:810-7
Feng J, Sellke ME, Ramlawi B, Boodhwani M, Clements R, Li J, Bianchi C, Sellke FW. Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels. 2006;140:192-7
Feng J (*see* Ramlawi et al). 2006;140:221-6
Ferrari SM (*see* Antonelli et al). 2006;140:1035-42
Ferraris VA (*see* Yam et al). 2006;140:541-52
Fichera A, Lovadina S, Rubin M, Cimino F, Hurst RD, Michelassi F. Patterns and operative treatment of recurrent Crohn's disease: a prospective longitudinal study. 2006;140:649-54
Finlayson SRG (*see* Dimick and Finlayson). 2006;140:367-71
Fitzpatrick E (*see* Xu et al). 2006;140:170-8
Fleury D (*see* Triponez et al). 2006;140:990-9
Flint L (*see* Pracht et al). 2006;140:34-43
Flynn JD (*see* Yam et al). 2006;140:541-52
Foley DP (*see* Matsumoto et al). 2006;140:793-802
Fong Y (*see* Are et al). 2006;140:756-63
Frangioni JV (*see* Ohnishi et al). 2006;140:785-92
Franz MG (*see* DuBay et al). 2006;140:14-24
Frilling A, Weber F, Saner F, Bockisch A, Hofmann M, Mueller-Brand J, Broelsch CE. Treatment with ^{90}Y- and ^{177}Lu-DOTA-TOC in patients with metastatic neuroendocrine tumors. 2006;140:968-77
Frisella MM (*see* Perrone et al). 2006;140:491-9
Fuchs JR, Nasseri BA, Vacanti JP, Fauza DO. Postnatal myocardial augmentation with skeletal myoblast–based fetal tissue engineering. 2006;140:100-7
Fujimoto K (*see* Koizumi et al). 2006;140:273-80
Fujimoto K (*see* Masui et al). 2006;140:149-60
Fujita S (*see* Matsumoto et al). 2006;140:793-802
Fujiyoshi N, Feketeova E, Lu Q, Xu D-Z, Haskó G, Deitch EA. Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock. 2006;140:810-7
Fukushima K, Haneda S, Takahashi K-I, Ogawa H, Watanabe K, Funayama Y, Shibata C, Sasaki I. Molecular analysis of colonic transformation in the ileum after total colectomy in rats. 2006;140:93-99
Funayama Y (*see* Fukushima et al). 2006;140:93-99

G

Gaffud MJ (*see* Edwards et al). 2006;140:655-64
Galandiuk S, Mahid SS, Polk HC, Jr., Turina M, Rao M, Lewis JN. Differences and similarities between rural and urban operations. 2006;140:589-96
Galt J (*see* Nackman et al). 2006;140:206-11
Gamboni-Robertson F (*see* Escobar et al). 2006;140:268-72
Gao C (*see* Wai et al). 2006;140:132-40
García-Criado FJ (*see* Lozano et al). 2006;140:83-92
García-Sánchez E (*see* Lozano et al). 2006;140:83-92
García-Sánchez JE (*see* Lozano et al). 2006;140:83-92
Garfein ES (*see* Ohnishi et al). 2006;140:785-92
Garren MJ (*see* Gould et al). 2006;140:524-31
Garrison RN (*see* Zakaria et al). 2006;140:579-88
Gatti G (*see* Intra et al). 2006;140:467-71
Gauger PG (*see* Miller et al). 2006;140:883-90
Gautreaux MD (*see* Moore et al). 2006;140:597-606
Gawande AA (*see* Rogers et al). 2006;140:25-33
Gemmete J (*see* Henke et al). 2006;140:532-40
Genrich K (*see* Moadsiri et al). 2006;140:315-21
Gentilini OD (*see* Intra et al). 2006;140:467-71
Gerunda GE (*see* Di Benedetto et al). 2006;140:835
Ghossein R (*see* Saltman et al). 2006;140:899-906
Gimm O (*see* Brauckhoff et al). 2006;140:953-9
Giobbie-Hurder A (*see* Hawn et al). 2006;140:198-205
Gittes GK. The surgeon-scientist in a new biomedical research era. 2006;140:123-31
Givi B, Pommier SJ, Thompson AK, Diggs BS, Pommier RF. Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival. 2006;140:891-8
Gletsu N, Lin E, Zhu J-L, Khaitan L, Ramshaw BJ, Farmer PK, Ziegler TR, Papanicolaou DA, Smith CD. Increased plasma interleukin 6 concentrations and exaggerated adipose tissue interleukin 6 content in severely obese patients after operative trauma. 2006;140:50-7
Goldberg JM (*see* Davis et al). 2006;140:836
Goldstein RE (*see* Davis et al). 2006;140:836
Gómez-Alonso A (*see* Lozano et al). 2006;140:83-92
Gonen M (*see* Are et al). 2006;140:756-63
Gores GJ (*see* Heimbach et al). 2006;140:331-4
Gould JC, Garren MJ, Boll V, Starling JR. Laparoscopic gastric bypass: Risks vs. benefits up to two years following surgery in super-super obese patients. 2006;140:524-31
Graf S (*see* Reidel et al). 2006;140:907-13
Grant CS (*see* Sherman et al). 2006;140:1056-62
Greco S (*see* Ripetti et al). 2006;140:435-40
Greenspan FS (*see* Kebebew et al). 2006;140:960-7
Griggs M (*see* Nackman et al). 2006;140:206-11
Grigsby PW, Reddy RM, Moley JF, Hall BL. Contralateral papillary thyroid cancer at completion thyroidectomy has no impact on recurrence or survival after radioiodine treatment. 2006;140:1043-9
Grigsby PW (*see* Reddy et al). 2006;140:1050-5
Groeben H (*see* Walz et al). 2006;140:943-50
Grosso M (*see* Antonelli et al). 2006;140:1035-42
Güemes A (*see* Burdio et al). 2006;140:479
Guo H (*see* Wai et al). 2006;140:132-40
Guo L (*see* Wai et al). 2006;140:132-40

H

Habib NA (*see* Jiao et al). 2006;140:464-6
Hadley GA (*see* Shi et al). 2006;140:281-8
Ha-Kawa SK (*see* Kwon et al). 2006;140:379-86
Halkar R (*see* Sharma et al). 2006;140:856-65
Hall BL (*see* Grigsby et al). 2006;140:1043-9
Hall BL (*see* Reddy et al). 2006;140:1050-5
Hamberg LM (*see* Rodgers et al). 2006;140:932-41
Hammel JP (*see* Sagap et al). 2006;140:691-704
Hamner JB (*see* Dickson et al). 2006;140:227-35
Haneda S (*see* Fukushima et al). 2006;140:93-99
Hanto DW. Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation. 2006;140:829
Harders M, Malangoni MA, Weight S, Sidhu T. Improving operating room efficiency through process redesign. 2006;140:509-16
Harken AH (*see* Wan et al). 2006;140:6-8
Harken AH (*see* Swift and Harken). 2006;140:336-7
Harrell AG (*see* Paton et al). 2006;140:914-20
Hartmann EL (*see* Moore et al). 2006;140:597-606
Harty NJ (*see* Draus Jr et al). 2006;140:570-8
Harvey A, Kline G, Pasieka JL. Adrenal venous sampling in primary hyperaldosteronism: Comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing. 2006;140:847-55
Haskó G (*see* Fujiyoshi et al). 2006;140:810-7
Hassett JM, Zinnerstrom K, Nawotniak RH, Schimpfhauser F, Dayton MT. Utilization of standardized patients to evaluate clinical and interpersonal skills of surgical residents. 2006;140:633-9
Hawn MT, Itani KM, Giobbie-Hurder A, McCarthy M, Jr, Jonasson O, Neumayer LA. Patient-reported outcomes after inguinal herniorrhaphy. 2006;140:198-205
Haxhija EQ (*see* Spencer et al). 2006;140:212-20
Hayashidani Y (*see* Murakami et al). 2006;140:448-53
Hazzan M (*see* Triponez et al). 2006;140:990-9
Hedvat CV (*see* Saltman et al). 2006;140:899-906
Heimbach JK, Gores GJ, Nagorney DM, Rosen CB. Liver transplantation for perihilar cholangiocarcinoma after aggressive neoadjuvant therapy: A new paradigm for liver and biliary malignancies?. 2006;140:331-4
Hemming AW (*see* Matsumoto et al). 2006;140:793-802
Heniford BT (*see* Paton et al). 2006;140:914-20
Henke PK, Williams DM, Upchurch Jr. GR, Proctor M, Cooper JV, Fang J, Nienaber CA, Isselbacher EM, Fattori R, Dasika N, Gemmete J, Stanley JC, Wakefield TW, Eagle KA. Acute limb ischemia associated with type B aortic dissection: Clinical relevance and therapy. 2006;140:532-40
Hieken TJ, Velasco JM. Selective or routine axillary disease staging for patients with clinically lymph node–negative breast cancer?. 2006;140:500-8
Hill AD (*see* Dillon et al). 2006;140:779-84
Hinz U (*see* Reidel et al). 2006;140:907-13
Hirose R (*see* Niemann et al). 2006;140:404-12
Hoagland VD (*see* Avansino et al). 2006;140:423-34
Hofmann M (*see* Frilling et al). 2006;140:968-77
Hollings DD (*see* Angelos et al). 2006;140:740-8
Horvath K, Pellegrini C. Selecting international medical graduates (IMGs) for training in US surgical residencies. 2006;140:347-50
Hosotani R (*see* Masui et al). 2006;140:149-60
Houghton SG (*see* Nelson et al). 2006;140:517-23
Hoyt DB (*see* Deree et al). 2006;140:186-91
Hruban RH (*see* Riall et al). 2006;140:764-72
Hsieh Y-C (*see* Suzuki et al). 2006;140:141-48
Huang T-L (*see* Takatsuki et al). 2006;140:824-8
Hung-Hin Lang B (*see* Chan et al). 2006;140:866-73
Hunter GJ (*see* Rodgers et al). 2006;140:932-41

Hurst RD (*see* Fichera et al). 2006;140:649-54
Huss SA (*see* Draus Jr et al). 2006;140:570-8

I

Ibrahim S, Chen C-L, Wang C-C, Wang S-H, Lin C-C, Liu Y-W, Yang C-H, Yong C-C, Concejero A, Cheng Y-F. Small remnant liver volume after right lobe living donor hepatectomy. 2006; 140:749-55
Ikeda A (*see* Kohmoto et al). 2006;140:179-85
Intra M, Luini A, Gatti G, Ciocca M, Gentilini OD, Viana AA, Chagas EM, Berrettini A, Schuh F, Scarpa D, Orecchia R, Veronesi U. Surgical technique of intraoperative radiation therapy with electrons (ELIOT) in breast cancer: A lesson learned by over 1000 procedures. 2006;140:467-71
Ishikawa N (*see* Ogura et al). 2006;140:66-71
Iskandar SS (*see* Moore et al). 2006;140:597-606
Isogai A (*see* Matsuoka et al). 2006;140:387-95
Isselbacher EM (*see* Henke et al). 2006;140:532-40
Itani KM (*see* Hawn et al). 2006;140:198-205
Ito D (*see* Koizumi et al). 2006;140:273-80
Ito D (*see* Masui et al). 2006;140:149-60

J

Jackson LN (*see* Rychahou et al). 2006;140:719-25
Janssen OE (*see* Walz et al). 2006;140:943-50
Jarnagin WR (*see* Are et al). 2006;140:756-63
Jiao LR, Tierris I, Ayav A, Milicevic M, Pellicci R, Navarra G, Habib NA. A new technique for spleen preservation with radiofrequency. 2006;140:464-6
Johnson JL (*see* Ciesla et al). 2006;140:640-8
Jonasson O (*see* Hawn et al). 2006;140:198-205
Jovine E. Malignant gastrointestinal stromal neoplasm. 2006; 140:832-4
Julié C (*see* Benoist et al). 2006;140:396-403

K

Kaibori M (*see* Kwon et al). 2006;140:379-86
Kaizu T (*see* Kohmoto et al). 2006;140:179-85
Kami K (*see* Koizumi et al). 2006;140:273-80
Kami K (*see* Masui et al). 2006;140:149-60
Kamiyama Y (*see* Satoi et al). 2006;140:836
Kanematsu T (*see* Tajima et al). 2006;140:773-8
Karoui M (*see* Benoist et al). 2006;140:396-403
Karp SJ (*see* Ohnishi et al). 2006;140:785-92
Kartheuser A (*see* Mabrut et al). 2006;140:818-23
Kastl PR (*see* Stefanidis et al). 2006;140:252-62
Kawaguchi Y (*see* Koizumi et al). 2006;140:273-80
Kebebew E, Peng M, Reiff E, Treseler P, Woeber KA, Clark OH, Greenspan FS, Lindsay S, Duh Q-Y, Morita E. A phase II trial of rosiglitazone in patients with thyroglobulin-positive and radioiodine-negative differentiated thyroid cancer. 2006;140: 960-7
Kebebew E (*see* Triponez et al). 2006;140:990-9
Keilmann A (*see* Musholt et al). 2006;140:978-89
Keller CE (*see* Alam et al). 2006;140:307-14
Kendrick ML (*see* Nelson et al). 2006;140:517-23
Kennel KA (*see* Nelson et al). 2006;140:517-23
Kercher KW (*see* Paton et al). 2006;140:914-20
Khabbaz K (*see* Ramlawi et al). 2006;140:221-6
Khaitan L (*see* Gletsu et al). 2006;140:50-7
Kida A (*see* Koizumi et al). 2006;140:273-80
Kitasato A (*see* Tajima et al). 2006;140:773-8
Kline G (*see* Harvey et al). 2006;140:847-55
Klingensmith ME (*see* Perrone et al). 2006;140:491-9
Knudson MM (*see* Wan et al). 2006;140:6-8
Ko TC (*see* Cao et al). 2006;140:322-9
Kohmoto J, Nakao A, Kaizu T, Tsung A, Ikeda A, Tomiyama K, Billiar TR, Choi AM, Murase N, McCurry KR. Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts. 2006;140:179-85
Koizumi M, Nagai K, Kida A, Kami K, Ito D, Fujimoto K, Kawaguchi Y, Doi R. Forced expression of PDX-1 induces insulin production in intestinal epithelia. 2006;140:273-80
Koizumi M (*see* Masui et al). 2006;140:149-60
Koldovsky U (*see* Xu et al). 2006;140:170-8
Korndorffer Jr JR (*see* Stefanidis et al). 2006;140:252-62
Koski G (*see* Xu et al). 2006;140:170-8
Krzywda EA (*see* Yen et al). 2006;140:665-74
Kshettry V (*see* Angelos et al). 2006;140:740-8
Kubota S (*see* Matsuoka et al). 2006;140:387-95
Kuiper JW (*see* Vermaas et al). 2006;140:120
Kumar S (*see* Sherman et al). 2006;140:1056-62
Kunnimalaiyaan M, Ndiaye M, Chen H. Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002. 2006;140:1009-15
Kuo PC (*see* Wai et al). 2006;140:132-40
Kuo W-R (*see* Chiang et al). 2006;140:413-7
Kuroki T (*see* Tajima et al). 2006;140:773-8
Kuzon WM, Jr (*see* DuBay et al). 2006;140:14-24
Kwaan M (*see* Rogers et al). 2006;140:25-33
Kwon A, Matsui Y, Kaibori M, Ha-Kawa SK. Preoperative regional maximal removal rate of technetium-99m-galactosyl human serum albumin (GSA-Rmax) is useful for judging the safety of hepatic resection. 2006;140:379-86

L

Laganà D (*see* Caronno et al). 2006;140:58-65
Lai ML (*see* Piga et al). 2006;140:837-8
Lall R (*see* Deree et al). 2006;140:186-91
Lamb MN, Farley DR. The Mayo Clinic-Rochester experience with IMGs as general surgery trainees. 2006;140:351-3
Lambert AD (*see* McLafferty et al). 2006;140:616-24
Langland-Orban B (*see* Pracht et al). 2006;140:34-43
Larson GM (*see* Draus Jr et al). 2006;140:570-8
Lee JE (*see* Rodgers et al). 2006;140:932-41
Lee K-W (*see* Chiang et al). 2006;140:413-7
Lejonklou MH (*see* Stålberg et al). 2006;140:921-31
Lemaitre V (*see* Triponez et al). 2006;140:990-9
Lenglinger J, Eisler M, Riegler M. Evidence for chief cells within columnar-lined esophagus?. 2006;140:479
Lesinski GB (*see* Brown et al). 2006;140:297-306
Levkoff SE (*see* Ramlawi et al). 2006;140:221-6
Lewis JN (*see* Galandiuk et al). 2006;140:589-96
Li BD (*see* Wolfort et al). 2006;140:161-69
Li J (*see* Feng et al). 2006;140:192-7
Li Y (*see* Alam et al). 2006;140:307-14
Lillemoe KD (*see* Riall et al). 2006;140:764-72
Lin C-C (*see* Ibrahim et al). 2006;140:749-55
Lin C-C (*see* Takatsuki et al). 2006;140:824-8
Lin E (*see* Gletsu et al). 2006;140:50-7
Lin J-C (*see* Chiang et al). 2006;140:413-7
Lin PH (*see* Chai et al). 2006;140:236-42
Lin T-S (*see* Takatsuki et al). 2006;140:824-8
Lindebjerg J (*see* Ågren et al). 2006;140:72-82
Lindsay S (*see* Kebebew et al). 2006;140:960-7
Liu H-J, Wu C-T, Duan H-F, Wu B, Lu Z-Z, Wang L. Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model. 2006; 140:441-7
Liu Y-W (*see* Ibrahim et al). 2006;140:749-55
Lo C-Y (*see* Chan et al). 2006;140:866-73

Lomazzi C (*see* Caronno et al). 2006;140:58-65
Lombardi CP, Raffaelli M, D'Alatri L, Marchese MR, Rigante M, Paludetti G, Bellantone R. Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries. 2006;140:1026-34
Lombardi CP, Raffaelli M, Princi P, Dobrinja C, Carrozza C, Di Stasio E, D'Amore A, Zuppi C, Bellantone R. Parathyroid hormone levels 4 hours after surgery do not accurately predict post-thyroidectomy hypocalcemia. 2006;140:1016-25
Loomis W (*see* Deree et al). 2006;140:186-91
Lorenz K (*see* Brauckhoff et al). 2006;140:953-9
Louis S (*see* Peralta et al). 2006;140:607-15
Lovadina S (*see* Fichera et al). 2006;140:649-54
Loviscek K (*see* Edwards et al). 2006;140:655-64
Lowry S (*see* Payen et al). 2006;140:726-39
Lozano FS, Cascajo C, García-Sánchez E, Barros MB, García-Criado FJ, Parreño F, García-Sánchez JE, Gómez-Alonso A. Bacterial translocation as a source of Dacron-graft contamination in experimental aortic operation: the importance of controlling SIRS. 2006;140:83-92
Lozano R (*see* Burdio et al). 2006;140:479
Lteif A (*see* Sherman et al). 2006;140:1056-62
Lu Q (*see* Fujiyoshi et al). 2006;140:810-7
Lu S-P (*see* Chiang et al). 2006;140:413-7
Lu Z-Z (*see* Liu et al). 2006;140:441-7
Lui W-Y (*see* Shyu et al). 2006;140:44-9
Luini A (*see* Intra et al). 2006;140:467-71
Luntz J (*see* Spencer et al). 2006;140:212-20

M

Mabrut J-Y, Romagnoli R, Collard J-M, Saurin J-C, Detry R, Mion F, Baulieux J, Kartheuser A. Familial adenomatous polyposis predisposes to pathologic exposure of the stomach to bilirubin. 2006;140:818-23
Maeta H (*see* Okano et al). 2006;140:118-9
Maher JJ (*see* Niemann et al). 2006;140:404-12
Mahid SS (*see* Galandiuk et al). 2006;140:589-96
Mai JL (*see* Nelson et al). 2006;140:517-23
Malangoni MA (*see* Rajani et al). 2006;140:625-32
Malangoni MA (*see* Harders et al). 2006;140:509-16
Mann K (*see* Walz et al). 2006;140:943-50
Marcantonio ER (*see* Ramlawi et al). 2006;140:221-6
Marchese MR (*see* Lombardi et al). 2006;140:1026-34
Markert RJ (*see* Stefanidis et al). 2006;140:252-62
Masetti M (*see* Di Benedetto et al). 2006;140:835
Masui T, Hosotani R, Ito D, Kami K, Koizumi M, Mori T, Toyoda E, Nakajima S, Miyamoto Y, Fujimoto K, Doi R. Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer. 2006;140:149-60
Mathur K (*see* Saiprasad et al). 2006;140:474-5
Matsui Y (*see* Kwon et al). 2006;140:379-86
Matsui Y (*see* Satoi et al). 2006;140:836
Matsumoto T, O'Malley K, Efron PA, Burger C, McAuliffe PF, Scumpia PO, Uchida T, Tschoeke SK, Fujita S, Moldawer LL, Hemming AW, Foley DP. Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning. 2006;140:793-802
Matsuoka H, Nagaya M, Tsukikawa S, Yanagi Y, Isogai A, Kubota S. Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer. 2006;140:387-95
Matthews BD (*see* Perrone et al). 2006;140:491-9
Mazzaglia P (*see* Sharma et al). 2006;140:856-65
McAuliffe PF, Cance WG. Preemptive surgery. 2006;140:1-5
McAuliffe PF (*see* Matsumoto et al). 2006;140:793-802
McCarthy M, Jr (*see* Hawn et al). 2006;140:198-205
McCarville MB (*see* Dickson et al). 2006;140:227-35
McCurry KR (*see* Kohmoto et al). 2006;140:179-85
McDermott EW (*see* Dillon et al). 2006;140:779-84
McDonald AA (*see* Rajani et al). 2006;140:625-32
McGreevy JM. Notes from an Air Force Hospital in Iraq. 2006;140:830-1
McHenry CR. Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy. 2006;140:942
McIntyre RC, Jr (*see* Escobar et al). 2006;140:268-72
McKinley DW (*see* Norcini et al). 2006;140:338-46
McLafferty RB, Williams RG, Lambert AD, Dunnington GL. Surgeon communication behaviors that lead patients to **not** recommend the surgeon to family members or friends: Analysis and impact. 2006;140:616-24
Mehrani T (*see* Alam et al). 2006;140:307-14
Meinicke A (*see* Brauckhoff et al). 2006;140:953-9
Melbostad H (*see* Deree et al). 2006;140:186-91
Merchant N (*see* Castaldo et al). 2006;140:476-8
Mi Z (*see* Wai et al). 2006;140:132-40
Miccoli P (*see* Antonelli et al). 2006;140:1035-42
Michelassi F. The discovery of new knowledge: Our scientific mission. 2006;140:485-90
Michelassi F (*see* Fichera et al). 2006;140:649-54
Mieno S (*see* Ramlawi et al). 2006;140:221-6
Milas M (*see* Sharma et al). 2006;140:856-65
Milicevic M (*see* Jiao et al). 2006;140:464-6
Miller BS, England BG, Nehs M, Burney RE, Doherty GM, Gauger PG. Interpretation of intraoperative parathyroid hormone monitoring in patients with baseline parathyroid hormone levels of <100 pg/mL. 2006;140:883-90
Mion F (*see* Mabrut et al). 2006;140:818-23
Mirastschijski U (*see* Ågren et al). 2006;140:72-82
Mishima T (*see* Tajima et al). 2006;140:773-8
Miyamoto Y (*see* Masui et al). 2006;140:149-60
Mizumoto K (*see* Ogura et al). 2006;140:66-71
Moadsiri A, Polchert D, Genrich K, Napoles P, Reina E, Turian J, Smith B, Bartholomew A. Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts. 2006;140:315-21
Moldawer LL (*see* Matsumoto et al). 2006;140:793-802
Moley JF (*see* Grigsby et al). 2006;140:1043-9
Moley JF (*see* Reddy et al). 2006;140:1050-5
Montalti R (*see* Di Benedetto et al). 2006;140:835
Moore EE (*see* Ciesla et al). 2006;140:640-8
Moore EE (*see* Escobar et al). 2006;140:268-72
Moore PS, Farney AC, Sundberg AK, Rohr MS, Hartmann EL, Iskandar SS, Gautreaux MD, Rogers J, Doares W, Anderson TK, Adams PL, Stratta RJ. Experience with dual kidney transplants from donors at the extremes of age. 2006;140:597-606
Mori T (*see* Masui et al). 2006;140:149-60
Morita E (*see* Kebebew et al). 2006;140:960-7
Moroni E (*see* Borrelli et al). 2006;140:454-63
Mortensen E (*see* Wan et al). 2006;140:6-8
Mueller-Brand J (*see* Frilling et al). 2006;140:968-77
Murakami M (*see* Ogura et al). 2006;140:66-71
Murakami Y, Uemura K, Ohge H, Hayashidani Y, Sudo T, Sueda T. Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma. 2006;140:448-53
Murase N (*see* Kohmoto et al). 2006;140:179-85
Murie JA. A tale of three papers. 2006;140:1063
Murphy TF (*see* Angelos et al). 2006;140:740-8
Musholt PB (*see* Musholt et al). 2006;140:978-89

Musholt TJ, Musholt PB, Napiontek JGU, Keilmann A. Changes of the speaking and singing voice after thyroid or parathyroid surgery. 2006;140:978-89

N

Nacke EA (*see* Woo and Nacke). 2006;140:263-7
Nackman GB, Griggs M, Galt J. Implementation of a novel web-based objective structured clinical evaluation. 2006;140:206-11
Nagai E (*see* Ogura et al). 2006;140:66-71
Nagai K (*see* Koizumi et al). 2006;140:273-80
Nagaya M (*see* Matsuoka et al). 2006;140:387-95
Nagorney DM (*see* Heimbach et al). 2006;140:331-4
Nakajima S (*see* Masui et al). 2006;140:149-60
Nakao A (*see* Kohmoto et al). 2006;140:179-85
Napiontek JGU (*see* Musholt et al). 2006;140:978-89
Napoles P (*see* Moadsiri et al). 2006;140:315-21
Nasseri BA (*see* Fuchs et al). 2006;140:100-7
Navarra G (*see* Jiao et al). 2006;140:464-6
Navarro A (*see* Burdio et al). 2006;140:479
Nawotniak RH (*see* Hassett et al). 2006;140:633-9
Nawroth P (*see* Reidel et al). 2006;140:907-13
Ndiaye M (*see* Kunnimalaiyaan et al). 2006;140:1009-15
Nehs M (*see* Miller et al). 2006;140:883-90
Nelson WK, Fatima J, Houghton SG, Thompson GB, Kendrick ML, Mai JL, Kennel KA, Sarr MG. The malabsorptive very, very long limb Roux-en-Y gastric bypass for super obesity: Results in 257 patients. 2006;140:517-23
Neumann HPH (*see* Walz et al). 2006;140:943-50
Neumayer LA (*see* Hawn et al). 2006;140:198-205
Ng CYC (*see* Dickson et al). 2006;140:227-35
Niemann CU, Choi S, Behrends M, Hirose R, Noh J, Coatney JL, Roberts JP, Serkova NJ, Maher JJ. Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia-reperfusion. 2006;140:404-12
Nienaber CA (*see* Henke et al). 2006;140:532-40
Nikfarjam M, Christophi C. Re: "Altered growth patterns of colorectal liver metastases after thermal ablation". 2006;140:480
Noel C (*see* Triponez et al). 2006;140:990-9
Noh J (*see* Niemann et al). 2006;140:404-12
Norcini J, Anderson MB, McKinley DW. The medical education of United States citizens who train abroad. 2006;140:338-46
Nordlinger B (*see* Benoist et al). 2006;140:396-403
Northrup J (*see* Payen et al). 2006;140:726-39
Norton HJ (*see* Paton et al). 2006;140:914-20
Novitsky YW (*see* Paton et al). 2006;140:914-20
Nuthalapaty S (*see* Wolfort et al). 2006;140:161-69

O

O'Doherty A (*see* Dillon et al). 2006;140:779-84
Ogawa H (*see* Fukushima et al). 2006;140:93-99
Ogura Y, Mizumoto K, Tanaka M, Ohuchida K, Murakami M, Yamada D, Ishikawa N, Nagai E. Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model. 2006;140:66-71
Ohge H (*see* Murakami et al). 2006;140:448-53
O'Higgins N (*see* Dillon et al). 2006;140:779-84
Ohnishi S, Garfein ES, Karp SJ, Frangioni JV. Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding. 2006;140:785-92
Ohuchida K (*see* Ogura et al). 2006;140:66-71
Ojala S (*see* Paajanen et al). 2006;140:9-11
Okano K, Sugiyama T, Akamoto S, Yachida S, Usuki H, Wakabayashi H, Maeta H. ^{18}F-FDG accumulations in primary malignant melanoma of the esophagus. 2006;140:118-9
O'Malley K (*see* Matsumoto et al). 2006;140:793-802
Ommer A (*see* Walz et al). 2006;140:943-50
Onders R (*see* Wilhelm et al). 2006;140:553-60
Orecchia R (*see* Intra et al). 2006;140:467-71
Osvaldt AB, Wendt LR, Bersch VP, Backes AN, Schumacher RCA, Edelweiss MIA, Rohde L. Pancreatic intraepithelial neoplasia and ductal adenocarcinoma induced by DMBA in mice. 2006;140:803-9

P

Paajanen H, Ojala S, Virkkunen A. Incidence of occult inguinal and spigelian hernias during laparoscopy of other reasons. 2006;140:9-11
Paludetti G (*see* Lombardi et al). 2006;140:1026-34
Papanicolaou DA (*see* Gletsu et al). 2006;140:50-7
Parreño F (*see* Lozano et al). 2006;140:83-92
Pasieka JL (*see* Harvey et al). 2006;140:847-55
Paton BL, Novitsky YW, Zerey M, Harrell AG, Norton HJ, Asbun H, Kercher KW, Heniford BT. Outcomes of adrenal cortical carcinoma in the United States. 2006;140:914-20
Patrick P (*see* Rajani et al). 2006;140:625-32
Payen D, Sablotzki A, Barie PS, Ramsay G, Lowry S, Williams M, Sarwat S, Northrup J, Toland P, Booth, nswick, NJ; and Indianapolis, IN FVM. International integrated database for the evaluation of severe sepsis and drotrecogin alfa (activated) therapy: Analysis of efficacy and safety data in a large surgical cohort. 2006;140:726-39
Peitgen K (*see* Walz et al). 2006;140:943-50
Pellegrini C (*see* Horvath and Pellegrini). 2006;140:347-50
Pellicci R (*see* Jiao et al). 2006;140:464-6
Peng M (*see* Kebebew et al). 2006;140:960-7
Penna C (*see* Benoist et al). 2006;140:396-403
Pennington K (*see* Wahl et al). 2006;140:684-90
Peralta EA, Viegas ML, Louis S, Engle DL, Dunnington GL. Effect of vitamin E on tamoxifen-treated breast cancer cells. 2006;140:607-15
Perrier ND (*see* Rodgers et al). 2006;140:932-41
Perrier ND (*see* Evans and Perrier). 2006;140:951-2
Perrone NGJM, Soper NJ, Matthews BD, Eagon JC, Klingensmith ME, Frisella MM, Brunt LM. Outcomes of laparoscopic paraesophageal hernia repair in elderly and high-risk patients. 2006;140:491-9
Petersenn S (*see* Walz et al). 2006;140:943-50
Philipp T (*see* Walz et al). 2006;140:943-50
Pickleman J (*see* Aranha et al). 2006;140:561-9
Piffaretti G (*see* Caronno et al). 2006;140:58-65
Piga M, Serra A, Uccheddu A, Lai ML, Faa G. Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism. 2006;140:837-8
Polchert D (*see* Moadsiri et al). 2006;140:315-21
Polednak AP. Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery with statistical considerations. 2006;140:481
Polk HC, Jr. (*see* Galandiuk et al). 2006;140:589-96
Pommier RF (*see* Givi et al). 2006;140:891-8
Pommier SJ (*see* Givi et al). 2006;140:891-8
Pories WJ. The I.V. League (cartoon). 2006;140:65
Pories WJ. The I.V. League (cartoon). 2006;140:395
Pracht EE, Langland-Orban B, Tepas III JJ, Celso BG, Flint L. Analysis of trends in the Florida Trauma System (1991-2003): Changes in mortality after establishment of new centers. 2006;140:34-43

Prasad MS (*see* Saiprasad et al). 2006;140:474-5
Princi P (*see* Lombardi et al). 2006;140:1016-25
Prinz R (*see* Wilhelm et al). 2006;140:553-60
Prinz RA (*see* Edwards et al). 2006;140:655-64
Proctor M (*see* Henke et al). 2006;140:532-40
Proye CAG (*see* Triponez et al). 2006;140:990-9
Puopolo AL (*see* Rogers et al). 2006;140:25-33

Q

Quinn CM (*see* Dillon et al). 2006;140:779-84
Quintini C (*see* Di Benedetto et al). 2006;140:835

R

Raffaelli M (*see* Lombardi et al). 2006;140:1016-25
Raffaelli M (*see* Lombardi et al). 2006;140:1026-34
Raftopoulos I, Courcoulas AP, Blumberg D. Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon?. 2006;140:675-83
Rajani RR, Claridge JA, Yowler CJ, Patrick P, Wiant A, Summers JI, McDonald AA, Como JJ, Malangoni MA. Improved outcome of adult blunt splenic injury: A cohort analysis. 2006;140:625-32
Ramaiah C (*see* Yam et al). 2006;140:541-52
Ramlawi B (*see* Feng et al). 2006;140:192-7
Ramlawi B, Rudolph JL, Mieno S, Feng J, Boodhwani M, Khabbaz K, Levkoff SE, Marcantonio ER, Bianchi C, Sellke FW. C-Reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery. 2006;140:221-6
Ramsay G (*see* Payen et al). 2006;140:726-39
Ramshaw BJ (*see* Gletsu et al). 2006;140:50-7
Rao M (*see* Galandiuk et al). 2006;140:589-96
Ravishankar THS (*see* Saiprasad et al). 2006;140:474-5
Reddy RM, Grigsby PW, Moley JF, Hall BL. Lymph node metastases in differentiated thyroid cancer under 2 cm. 2006;140:1050-5
Reddy RM (*see* Grigsby et al). 2006;140:1043-9
Redmond HP (*see* Cahill et al). 2006;140:108-12
Rege RV. Invited commentary: Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons. 2006;140:12-3
Reidel MA, Schilling T, Graf S, Hinz U, Nawroth P, Büchler MW, Weber T. Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism. 2006;140:907-13
Reiff E (*see* Kebebew et al). 2006;140:960-7
Reina E (*see* Moadsiri et al). 2006;140:315-21
Remzi FH (*see* Sagap et al). 2006;140:691-704
Rhee P (*see* Alam et al). 2006;140:307-14
Riall TS, Cameron JL, Lillemoe KD, Winter JM, Campbell KA, Hruban RH, Chang D, Yeo CJ. Resected periampullary adenocarcinoma: 5-year survivors and their 6- to 10-year follow-up. 2006;140:764-72
Rice DA (*see* Stefanidis et al). 2006;140:252-62
Riegler M (*see* Lenglinger et al). 2006;140:479
Rigante M (*see* Lombardi et al). 2006;140:1026-34
Ripetti V, Caputo D, Greco S, Alloni R, Coppola R. Is total colectomy the right choice in intractable slow-transit constipation?. 2006;140:435-40
Roach P (*see* Sywak et al). 2006;140:1000-7
Roberts JP (*see* Niemann et al). 2006;140:404-12
Roda J (*see* Brown et al). 2006;140:297-306
Rodgers SE, Hunter GJ, Hamberg LM, Schellingerhout D, Doherty DB, Ayers GD, Shapiro SE, Edeiken BS, Truong MT, Evans DB, Lee JE, Perrier ND. Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography. 2006;140:932-41
Rogers J (*see* Moore et al). 2006;140:597-606
Rogers SO, Jr, Gawande AA, Kwaan M, Puopolo AL, Yoon C, Brennan TA, Studdert DM. Analysis of surgical errors in closed malpractice claims at 4 liability insurers. 2006;140:25-33
Rohde, *Porto Alegre, Brazil L* (*see* Osvaldt et al). 2006;140:803-9
Rohr MS (*see* Moore et al). 2006;140:597-606
Romagnoli R (*see* Mabrut et al). 2006;140:818-23
Rosen CB (*see* Heimbach et al). 2006;140:331-4
Rotramel A (*see* Edwards et al). 2006;140:655-64
Rougier P (*see* Benoist et al). 2006;140:396-403
Rubin M (*see* Fichera et al). 2006;140:649-54
Rudolph JL (*see* Ramlawi et al). 2006;140:221-6
Rychahou PG, Jackson LN, Farrow BJ, Evers BM. RNA interference: Mechanisms of action and therapeutic consideration. 2006;140:719-25

S

Sablotzki A (*see* Payen et al). 2006;140:726-39
Sagap I, Remzi FH, Hammel JP, Fazio VW. Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – A multivariate analysis. 2006;140:691-704
Saiprasad BR, Prasad MS, Ravishankar THS, Mathur K. Rectal polyp: Can it be a malignant melanoma?. 2006;140:474-5
Salabert A-S (*see* Benoist et al). 2006;140:396-403
Saltman B, Singh B, Hedvat CV, Wreesmann VB, Ghossein R. Patterns of expression of cell cycle/apoptosis genes along the spectrum of thyroid carcinoma progression. 2006;140:899-906
Sampson H (*see* Angelos et al). 2006;140:740-8
Sandberg WS, Canty T, Sokal SM, Daily B, Berger DL. Financial and operational impact of a direct-from-PACU discharge pathway for laparoscopic cholecystectomy patients. 2006;140:372-8
Saner F (*see* Frilling et al). 2006;140:968-77
Santesson M (*see* Stålberg et al). 2006;140:921-31
Sapienza P (*see* Borrelli et al). 2006;140:454-63
Sarr MG (*see* Nelson et al). 2006;140:517-23
Sarr MG (*see* Warshaw and Sarr). 2006;140:335
Sarwat S (*see* Payen et al). 2006;140:726-39
Sasaki I (*see* Fukushima et al). 2006;140:93-99
Satoi S, Toyokawa H, Yanagimoto H, Matsui Y, Takai S, Kamiyama Y. Using an internal thoracic artery holder in pancreaticojejunostomy. 2006;140:836
Sauaia A (*see* Ciesla et al). 2006;140:640-8
Saurin J-C (*see* Mabrut et al). 2006;140:818-23
Scarpa D (*see* Intra et al). 2006;140:467-71
Schellingerhout D (*see* Rodgers et al). 2006;140:932-41
Schilling T (*see* Reidel et al). 2006;140:907-13
Schimpfhauser F (*see* Hassett et al). 2006;140:633-9
Schiødt CB (*see* Ågren et al). 2006;140:72-82
Schmid KW (*see* Walz et al). 2006;140:943-50
Schuh F (*see* Intra et al). 2006;140:467-71
Schullinger JN (*see* Cowles et al). 2006;140:113-7
Schumacher RCA (*see* Osvaldt et al). 2006;140:803-9
Schuster DM (*see* Sharma et al). 2006;140:856-65
Schwenk II WF (*see* Sherman et al). 2006;140:1056-62
Scoggins CR (*see* Davis et al). 2006;140:836
Scott DJ (*see* Stefanidis et al). 2006;140:252-62
Scumpia PO (*see* Matsumoto et al). 2006;140:793-802
Sellke FW (*see* Feng et al). 2006;140:192-7
Sellke FW (*see* Ramlawi et al). 2006;140:221-6
Sellke ME (*see* Feng et al). 2006;140:192-7

Serkova NJ (*see* Niemann et al). 2006;140:404-12
Serra A (*see* Piga et al). 2006;140:837-8
Shapiro SE (*see* Rodgers et al). 2006;140:932-41
Sharma J, Mazzaglia P, Milas M, Berber E, Schuster DM, Halkar R, Siperstein A, Weber CJ. Radionuclide imaging for hyperparathyroidism (HPT): Which is the best technetium-99m sestamibi modality?. 2006;140:856-65
Sheldon GF. Globalization and the health workforce shortage. 2006;140:354-8
Sherman J, Thompson GB, Lteif A, Schwenk II WF, van Heerden J, Farley DR, Kumar S, Zimmerman D, Churchward M, Grant CS. Surgical management of Graves disease in childhood and adolescence: an institutional experience. 2006;140:1056-62
Shi Q, Wang D, Hadley GA, Farber DL, Bartlett ST. Abrogation of recurrent autoimmunity in the NOD mouse: a critical role for host interleukin 4. 2006;140:281-8
Shibata C (*see* Fukushima et al). 2006;140:93-99
Shimizu T (*see* Suzuki et al). 2006;140:141-48
Shoup M (*see* Aranha et al). 2006;140:561-9
Shyr Y-M (*see* Shyu et al). 2006;140:44-9
Shyu J-F, Chen T-H, Shyr Y-M, Su C-H, Wu C-W, Lui W-Y. Gastric body partition to avoid ulcerogenic risk and hypergastrinemia. 2006;140:44-9
Sidhu S (*see* Sywak et al). 2006;140:1000-7
Sidhu T (*see* Harders et al). 2006;140:509-16
Sierra R (*see* Stefanidis et al). 2006;140:252-62
Singh B (*see* Saltman et al). 2006;140:899-906
Siperstein A (*see* Sharma et al). 2006;140:856-65
Skogseid B (*see* Stålberg et al). 2006;140:921-31
Smith B (*see* Moadsiri et al). 2006;140:315-21
Smith CD (*see* Gletsu et al). 2006;140:50-7
Smith K (*see* Yam et al). 2006;140:541-52
Sokal SM (*see* Sandberg et al). 2006;140:372-8
Solorzano C (*see* Wilhelm et al). 2006;140:553-60
Solorzano CC (*see* Edwards et al). 2006;140:655-64
Son G (*see* Xu et al). 2006;140:170-8
Soohkai S (*see* Cahill et al). 2006;140:108-12
Soper NJ (*see* Perrone et al). 2006;140:491-9
Sousa R (*see* Burdio et al). 2006;140:479
Spaniolas K (*see* Alam et al). 2006;140:307-14
Spencer AU, Sun X, El-Sawaf M, Haxhija EQ, Brei D, Luntz J, Yang H, Teitelbaum DH. Enterogenesis in a clinically feasible model of mechanical small-bowel lengthening. 2006;140:212-20
Stalberg P (*see* Sywak et al). 2006;140:1000-7
Stanley JC (*see* Henke et al). 2006;140:532-40
Starling JR (*see* Gould et al). 2006;140:524-31
Stefanidis D, Korndorffer Jr JR, Black FW, Dunne JB, Sierra R, Touchard CL, Rice DA, Markert RJ, Kastl PR, Scott DJ. Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training. 2006;140:252-62
Stelzner M (*see* Avansino et al). 2006;140:423-34
Stratta RJ (*see* Moore et al). 2006;140:597-606
Studdert DM (*see* Rogers et al). 2006;140:25-33
Stumph JR (*see* Castaldo et al). 2006;140:476-8
Sturgeon C (*see* Zanocco et al). 2006;140:874-82
Sturgeon C (*see* Chiu et al). 2006;140:418-22
Stålberg P, Santesson M, Ekeblad S, Lejonklou MH, Skogseid B. Recognizing genes differentially regulated in vitro by the multiple endocrine neoplasia type 1 *(MEN1)* gene, using RNA interference and oligonucleotide microarrays. 2006;140:921-31
Su C-H (*see* Shyu et al). 2006;140:44-9
Sudo T (*see* Murakami et al). 2006;140:448-53
Sueda T (*see* Murakami et al). 2006;140:448-53
Sugg SL (*see* Yen et al). 2006;140:665-74
Sugiyama T (*see* Okano et al). 2006;140:118-9
Sui XX (*see* Bafford et al). 2006;140:289-96
Summers JI (*see* Rajani et al). 2006;140:625-32
Sun X (*see* Spencer et al). 2006;140:212-20
Sundberg AK (*see* Moore et al). 2006;140:597-606
Surve V (*see* Ågren et al). 2006;140:72-82
Suzuki T, Shimizu T, Yu H-P, Hsieh Y-C, Choudhry MA, Bland KI, Chaudry IH. 17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α. 2006;140:141-48
Swift UMB, Harken AH. Da Vinci's problem. 2006;140:336-7
Syk I (*see* Ågren et al). 2006;140:72-82
Sywak M, Cornford L, Roach P, Stalberg P, Sidhu S, Delbridge L. Routine ipsilateral level VI lymphadenectomy reduces postoperative thyroglobulin levels in papillary thyroid cancer. 2006;140:1000-7
Szuczik E (*see* Walz et al). 2006;140:943-50

T

Taheri PA (*see* Wahl et al). 2006;140:684-90
Tajima Y, Tsutsumi R, Kuroki T, Mishima T, Adachi T, Kitasato A, Kanematsu T. Evaluation and management of thoracopancreatic fistula. 2006;140:773-8
Takahashi K-I (*see* Fukushima et al). 2006;140:93-99
Takai S (*see* Satoi et al). 2006;140:836
Takatsuki M, Chiang Y-C, Lin T-S, Wang C-C, Concejero A, Lin C-C, Huang T-L, Cheng Y-F, Chen C-L. Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation. 2006;140:824-8
Talsma A (*see* Wahl et al). 2006;140:684-90
Tanaka M (*see* Ogura et al). 2006;140:66-71
Teitelbaum DH (*see* Spencer et al). 2006;140:212-20
Tejero E (*see* Burdio et al). 2006;140:479
Tepas III JJ (*see* Pracht et al). 2006;140:34-43
Terrell C (*see* Brown et al). 2006;140:297-306
Thanh PN (*see* Brauckhoff et al). 2006;140:953-9
Thompson AK (*see* Givi et al). 2006;140:891-8
Thompson GB (*see* Nelson et al). 2006;140:517-23
Thompson GB (*see* Sherman et al). 2006;140:1056-62
Tierris I (*see* Jiao et al). 2006;140:464-6
Toland P (*see* Payen et al). 2006;140:726-39
Tomiyama K (*see* Kohmoto et al). 2006;140:179-85
Toniato A, Boschin IM. Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery". 2006;140:482
Toruno K (*see* Alam et al). 2006;140:307-14
Touchard CL (*see* Stefanidis et al). 2006;140:252-62
Townsend CM Jr (*see* Cao et al). 2006;140:322-9
Toyoda E (*see* Masui et al). 2006;140:149-60
Toyokawa H (*see* Satoi et al). 2006;140:836
Tozzi M (*see* Caronno et al). 2006;140:58-65
Treseler P (*see* Kebebew et al). 2006;140:960-7
Triponez F, Kebebew E, Dosseh D, Duh Q-Y, Hazzan M, Noel C, Chertow GM, Wambergue F, Fleury D, Lemaitre V, Proye CAG, Clark OH. Less-than-subtotal parathyroidectomy increases the risk of persistent/recurrent hyperparathyroidism after parathyroidectomy in tertiary hyperparathyroidism after renal transplantation. 2006;140:990-9
Truong MT (*see* Rodgers et al). 2006;140:932-41
Tsai K-B (*see* Chiang et al). 2006;140:413-7
Tsakadze NL (*see* Zakaria et al). 2006;140:579-88
Tschoeke SK (*see* Matsumoto et al). 2006;140:793-802
Tsukikawa S (*see* Matsuoka et al). 2006;140:387-95

Tsung A (*see* Kohmoto et al). 2006;140:179-85
Tsutsumi R (*see* Tajima et al). 2006;140:773-8
Turian J (*see* Moadsiri et al). 2006;140:315-21
Turina M (*see* Galandiuk et al). 2006;140:589-96

U

Uccheddu A (*see* Piga et al). 2006;140:837-8
Uchida T (*see* Matsumoto et al). 2006;140:793-802
Udelsman R. Presidential address: Harvey Cushing: The artist. 2006;140:841-6
Uemura K (*see* Murakami et al). 2006;140:448-53
Upchurch Jr. GR (*see* Henke et al). 2006;140:532-40
Usuki H (*see* Okano et al). 2006;140:118-9

V

Vacanti JP (*see* Fuchs et al). 2006;140:100-7
van Heerden J (*see* Sherman et al). 2006;140:1056-62
Velasco JM (*see* Hieken and Velasco). 2006;140:500-8
Velmahos G (*see* Alam et al). 2006;140:307-14
Verhoef C (*see* Vermaas et al). 2006;140:120
Vermaas M, Verhoef C, Eggermont AMM, de Wilt JHW, Kuiper JW. Utility of repeat radiofrequency ablation to provide long-term local control in recurrent rectal cancer. 2006;140:120
Veronesi U (*see* Intra et al). 2006;140:467-71
Viana AA (*see* Intra et al). 2006;140:467-71
Viegas ML (*see* Peralta et al). 2006;140:607-15
Virkkunen A (*see* Paajanen et al). 2006;140:9-11

W

Wahl WL, Talsma A, Dawson C, Dickinson S, Pennington K, Wilson D, Arbabi S, Taheri PA. Use of computerized ICU documentation to capture ICU core measures. 2006;140:684-90
Wai PY, Guo L, Gao C, Mi Z, Guo H, Kuo PC. Osteopontin inhibits macrophage nitric oxide synthesis to enhance tumor proliferation. 2006;140:132-40
Wakabayashi H (*see* Okano et al). 2006;140:118-9
Wakefield TW (*see* Henke et al). 2006;140:532-40
Walz MK, Alesina PF, Wenger FA, Deligiannis A, Szuczik E, Petersenn S, Ommer A, Groeben H, Peitgen K, Janssen OE, Philipp T, Neumann HPH, Schmid KW, Mann K. Posterior retroperitoneoscopic adrenalectomy—results of 560 procedures in 520 patients. 2006;140:943-50
Wambergue F (*see* Triponez et al). 2006;140:990-9
Wan JJ, Mortensen E, Knudson MM, Harken AH. Blood doping in the surgical intensive care unit. 2006;140:6-8
Wang C-C (*see* Ibrahim et al). 2006;140:749-55
Wang C-C (*see* Takatsuki et al). 2006;140:824-8
Wang D (*see* Shi et al). 2006;140:281-8
Wang D (*see* Xu et al). 2006;140:170-8
Wang G (*see* Bafford et al). 2006;140:289-96
Wang H (*see* Chai et al). 2006;140:236-42
Wang H (*see* Yan et al). 2006;140:243-51
Wang JH (*see* Cahill et al). 2006;140:108-12
Wang L (*see* Liu et al). 2006;140:441-7
Wang L-F (*see* Chiang et al). 2006;140:413-7
Wang S-H (*see* Ibrahim et al). 2006;140:749-55
Wang X (*see* DuBay et al). 2006;140:14-24
Wang X (*see* Yan et al). 2006;140:243-51
Warshaw AL. Ether Day, 1846, revisited. 2006;140:472-3
Warshaw AL, Sarr MG. Editor's note. 2006;140:335
Watanabe K (*see* Fukushima et al). 2006;140:93-99
Weber CJ (*see* Sharma et al). 2006;140:856-65
Weber F (*see* Frilling et al). 2006;140:968-77
Weber T (*see* Reidel et al). 2006;140:907-13
Weight S (*see* Harders et al). 2006;140:509-16
Wendt LR (*see* Osvaldt et al). 2006;140:803-9
Wenger FA (*see* Walz et al). 2006;140:943-50
Wiant A (*see* Rajani et al). 2006;140:625-32
Wilhelm S, Prinz R, Barbu A, Onders R, Solorzano C. Analysis of large versus small pheochromocytomas: Operative approaches and patient outcomes. 2006;140:553-60
Williams DM (*see* Henke et al). 2006;140:532-40
Williams M (*see* Payen et al). 2006;140:726-39
Williams RG (*see* McLafferty et al). 2006;140:616-24
Wilson D (*see* Wahl et al). 2006;140:684-90
Wilson SD (*see* Yen et al). 2006;140:665-74
Winter JM (*see* Riall et al). 2006;140:764-72
Woeber KA (*see* Kebebew et al). 2006;140:960-7
Wolfort R, de Benedetti A, Nuthalapaty S, Yu H, Chu QD, Li BD. Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer. 2006;140:161-69
Woo YJ, Nacke EA. Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay. 2006;140:263-7
Woolman JD (*see* Avansino et al). 2006;140:423-34
Wreesmann VB (*see* Saltman et al). 2006;140:899-906
Wu B (*see* Liu et al). 2006;140:441-7
Wu C-T (*see* Liu et al). 2006;140:441-7
Wu C-W (*see* Chiang et al). 2006;140:413-7
Wu C-W (*see* Shyu et al). 2006;140:44-9

X

Xu D-Z (*see* Fujiyoshi et al). 2006;140:810-7
Xu M (*see* Xu et al). 2006;140:170-8
Xu S, Koldovsky U, Xu M, Wang D, Fitzpatrick E, Son G, Koski G, Czerniecki BJ. High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid- derived dendritic cells is mediated by IL-12 production. 2006;140:170-8

Y

Yachida S (*see* Okano et al). 2006;140:118-9
Yalçin B. Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery". 2006;140:481
Yalçin B. Response to comments on "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery". 2006;140:483
Yam FK, Akers WS, Ferraris VA, Smith K, Ramaiah C, Camp P, Flynn JD. Interventions to improve guideline compliance following coronary artery bypass grafting. 2006;140:541-52
Yamada D (*see* Ogura et al). 2006;140:66-71
Yan S (*see* Chai et al). 2006;140:236-42
Yan S, Wang X, Chai H, Wang H, Yao Q, Chen C. Secretoneurin increases monolayer permeability in human coronary artery endothelial cells. 2006;140:243-51
Yanagi Y (*see* Matsuoka et al). 2006;140:387-95
Yanagimoto H (*see* Satoi et al). 2006;140:836
Yang C-H (*see* Ibrahim et al). 2006;140:749-55
Yang H (*see* Spencer et al). 2006;140:212-20
Yao Q (*see* Chai et al). 2006;140:236-42
Yao Q (*see* Yan et al). 2006;140:243-51
Yen TWF, Wilson SD, Krzywda EA, Sugg SL. The role of parathyroid hormone measurements after surgery for primary hyperparathyroidism. 2006;140:665-74
Yeo CJ (*see* Riall et al). 2006;140:764-72
Yong C-C (*see* Ibrahim et al). 2006;140:749-55

Yoon C (*see* Rogers et al). 2006;140:25-33
Yowler CJ (*see* Rajani et al). 2006;140:625-32
Yu H (*see* Wolfort et al). 2006;140:161-69
Yu H-P (*see* Suzuki et al). 2006;140:141-48
Yurt RW (*see* Bessey et al). 2006;140:705-17

Z

Zakaria ER, Tsakadze NL, Garrison RN. Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock. 2006;140:579-88
Zanocco K, Angelos P, Sturgeon C. Cost-effectiveness analysis of parathyroidectomy for asymptomatic primary hyperparathyroidism. 2006;140:874-82
Zerey M (*see* Paton et al). 2006;140:914-20
Zhang R (*see* Chai et al). 2006;140:236-42
Zhu J-L (*see* Gletsu et al). 2006;140:50-7
Ziegler TR (*see* Gletsu et al). 2006;140:50-7
Zimmerman D (*see* Sherman et al). 2006;140:1056-62
Zinnerstrom K (*see* Hassett et al). 2006;140:633-9
Zuppi C (*see* Lombardi et al). 2006;140:1016-25

SUBJECT INDEX*

A

Abdominal wall
Mesh incisional herniorrhaphy increases abdominal wall elastic properties: a mechanism for decreased hernia recurrences in comparison with suture repair (DuBay et al). 2006;140:14-24

Ablation; *see* Catheter ablation

Adenocarcinoma
Pancreatic intraepithelial neoplasia and ductal adenocarcinoma induced by DMBA in mice (Osvaldt et al). 2006;140:803-9
Resected periampullary adenocarcinoma: 5-year survivors and their 6- to 10-year follow-up (Riall et al). 2006;140:764-72

Adenomatous polyposis coli
Familial adenomatous polyposis predisposes to pathologic exposure of the stomach to bilirubin (Mabrut et al). 2006;140:818-23

Adenoviridae
Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7

Adhesions
Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7
Mast cells facilitate local VEGF release as an early event in the pathogenesis of postoperative peritoneal adhesions (Cahill et al). 2006;140:108-12

Adipose tissue
Increased plasma interleukin 6 concentrations and exaggerated adipose tissue interleukin 6 content in severely obese patients after operative trauma (Gletsu et al). 2006;140:50-7

Administration, inhalation
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85

Adolescent
Surgical management of Graves disease in childhood and adolescence: an institutional experience (Sherman et al). 2006;140:1056-62

Adrenal glands
Adrenal venous sampling in primary hyperaldosteronism: comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing (Harvey et al). 2006;140:847-55
"Posterior retroperitoneoscopic adrenalectomy. Results of 560 procedures in 520 patients" (Evans and Perrier). 2006;140:951-2 (Editorial)
Posterior retroperitoneoscopic adrenalectomy—results of 560 procedures in 520 patients (Walz et al). 2006;140:943-50

Adrenalectomy
"Posterior retroperitoneoscopic adrenalectomy. Results of 560 procedures in 520 patients" (Evans and Perrier). 2006;140:951-2 (Editorial)
Posterior retroperitoneoscopic adrenalectomy—results of 560 procedures in 520 patients (Walz et al). 2006;140:943-50

*July, pp. 1-122; August, pp. 123-330; September, pp. 331-484; October, pp. 485-718; November, pp. 719-840; December, pp. 841-1096.

Age factors
Experience with dual kidney transplants from donors at the extremes of age (Moore et al). 2006;140:597-606
The vulnerabilities of age: burns in children and older adults (Bessey et al). 2006;140:705-17

Aldosterone
Molecular analysis of colonic transformation in the ileum after total colectomy in rats (Fukushima et al). 2006;140:92-9, 93.e1-e12

alpha-Tocopherol
Effect of vitamin E on tamoxifen-treated breast cancer cells (Peralta et al). 2006;140:607-15

Amiloride
Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock (Fujiyoshi et al). 2006;140:810-7

Anastomosis, Roux-en-Y
The malabsorptive very, very long limb Roux-en-Y gastric bypass for super obesity: results in 257 patients (Nelson et al). 2006;140:517-23

Anastomosis, surgical
Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study (Årgen et al). 2006;140:72-82
Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704
Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon? (Raftopoulos et al). 2006;140:675-83

Aneurysm, dissecting
Acute limb ischemia associated with type B aortic dissection: clinical relevance and therapy (Henke et al). 2006;140:532-40

Angiotensin II
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96

Antennapedia homeodomain protein
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60

Antibody affinity
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8

Anticancer drug sensitivity tests; *see* Drug screening assays, antitumor

Antigens, CD40
CD40 ligand increases expression of its receptor CD40 in human coronary artery endothelial cells (Chai et al). 2006;140:236-42

Aorta
Bacterial translocation as a source of Dacron-graft contamination in experimental aortic operation: the importance of controlling SIRS (Lozano et al). 2006;140:83-92

Aortic aneurysm, thoracic
Acute limb ischemia associated with type B aortic dissection: clinical relevance and therapy (Henke et al). 2006;140:532-40
Emergency endovascular stent-graft treatment for acute thoracic aortic syndromes (Caronno et al). 2006;140:58-65
Apoptosis
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60
Atherosclerosis
Role of platelet-derived growth factor and transforming growth factor β_1 the in the regulation of metalloproteinase expressions (Borrelli et al). 2006;140:454-63
Attitude of health personnel
Surgeon communication behaviors that lead patients to **not** recommend the surgeon to family members or friends: analysis and impact (McLafferty et al). 2006;140:616-24
Autoimmunity
Abrogation of recurrent autoimmunity in the NOD mouse: a critical role for host interleukin 4 (Shi et al). 2006;140:281-8

B

Barrett esophagus
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
bcl-X protein
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60
17β-estradiol; *see* Estradiol
Bilirubin
Familial adenomatous polyposis predisposes to pathologic exposure of the stomach to bilirubin (Mabrut et al). 2006;140:818-23
Biomechanics
Enterogenesis in a clinically feasible model of mechanical small-bowel lengthening (Spencer et al). 2006;140:212-20
Biomedical research
The surgeon-scientist in a new biomedical research era (Gittes). 2006;140:123-31
Biopsy, needle
Needle core biopsy in the diagnosis of phyllodes neoplasm (Dillon et al). 2006;140:779-84
Blood doping; *see* Doping in sports
Blood physiologic processes
Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia- reperfusion (Niemann et al). 2006;140:404-12
Blood specimen collection
Adrenal venous sampling in primary hyperaldosteronism: comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing (Harvey et al). 2006;140:847-55
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Blood transfusion
Blood doping in the surgical intensive care unit (Wan et al). 2006;140:6-8
Pentoxifylline attenuates stored blood-induced inflammation: a new perspective on an old problem (Deree et al). 2006;140:186-91
Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay (Woo and Nacke). 2006;140:263-7
Blood vessel prosthesis
Bacterial translocation as a source of Dacron-graft contamination in experimental aortic operation: the importance of controlling SIRS (Lozano et al). 2006;140:83-92
Blunt injuries; *see* Wounds, nonpenetrating
Bone neoplasms
Efficacy of zoledronate against neuroblastoma (Dickson et al). 2006;140:227-35
Bradykinin
Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels (Feng et al). 2006;140:192-7
Breast neoplasms
Effect of vitamin E on tamoxifen-treated breast cancer cells (Peralta et al). 2006;140:607-15
Selective or routine axillary disease staging for patients with clinically lymph node–negative breast cancer? (Hieken and Velasco). 2006;140:500-8
Surgical technique of intraoperative radiation therapy with electrons (ELIOT) in breast cancer: a lesson learned by over 1000 procedures (Intra et al). 2006;140:467-71
Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9
Brödel, Paul Heinrich Max
Harvey Cushing: the artist (Udelsman). 2006;140:841-6
Burns
The vulnerabilities of age: burns in children and older adults (Bessey et al). 2006;140:705-17

C

Calcium-activated potassium channel; *see* Potassium channels, calcium-activated
Capillary permeability
Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels (Feng et al). 2006;140:192-7
Capitation fee
Informed consent, capitation, and conflicts of interest in clinical trials: views from the field (Angelos et al). 2006;140:740-8
Carbon monoxide
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85
Carcinoid tumor
Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival (Givi et al). 2006;140:891-8
Carcinoma, adrenal cortex
Outcomes of adrenal cortical carcinoma in the United States (Paton et al). 2006;140:914-20
Carcinoma, medullary
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15
Carcinoma, pancreatic ductal
Pancreatic intraepithelial neoplasia and ductal adenocarcinoma induced by DMBA in mice (Osvaldt et al). 2006;140:803-9

Carcinoma, papillary
Contralateral papillary thyroid cancer at completion thyroidectomy has no impact on recurrence or survival after radioiodine treatment (Grigsby et al). 2006;140:1043-9
Routine ipsilateral level VI lymphadenectomy reduces postoperative thyroglobulin levels in papillary thyroid cancer (Sywak et al). 2006;140:1001-7
Cardiopulmonary bypass
C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6
Cartoons; *see* The I.V. League; The I.V.League
Catheter ablation
Does thermal ablation promote liver metastases progression more than resection? (Burdio). 2006;140:479-80 (Letter)
A new technique for spleen preservation with radiofrequency (Jiao et al). 2006;140:464-6
Re: "Altered growth patterns of colorectal liver metastases after thermal ablation" (Nikfarjam and Christophi). 2006;140:480 (Letter)
Utility of repeat radiofrequency ablation to provide long-term local control in recurrent rectal cancer (Vermaas et al). 2006;140:120 (Letter)
Catheterization
Adrenal venous sampling in primary hyperaldosteronism: comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing (Harvey et al). 2006;140:847-55
CD40; *see* TNF receptor-associated factor 3
CD40 ligand
CD40 ligand increases expression of its receptor CD40 in human coronary artery endothelial cells (Chai et al). 2006;140:236-42
Cell cycle proteins
Patterns of expression of cell cycle/apoptosis genes along the spectrum of thyroid carcinoma progression (Saltman et al). 2006;140:899-906
Cell membrane permeability
Secretoneurin increases monolayer permeability in human coronary artery endothelial cells (Yan et al). 2006;140:243-51
Central nervous system diseases
C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6
Chemotherapy, adjuvant
Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95
Chief cells, gastric
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
Child
Surgical management of Graves disease in childhood and adolescence: an institutional experience (Sherman et al). 2006;140:1056-62
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42
Chimera
Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts (Moadsiri et al). 2006;140:315-21
Cholangiocarcinoma
Differential diagnosis of proximal biliary obstruction (Are et al). 2006;140:756-63
Liver transplantation for perihilar cholangiocarcinoma after aggressive neoadjuvant therapy: a new paradigm for liver and biliary malignancies? (Heimbach et al). 2006;140:331-4
Cholangiopancreatography, magnetic resonance
Evaluation and management of thoracopancreatic fistula (Tajima et al). 2006;140:773-8
Cholecystectomy, laparoscopic
Financial and operational impact of a direct-from-PACU discharge pathway for laparoscopic cholecystectomy patients (Sandberg et al). 2006;140:372-8
Cholestasis
Differential diagnosis of proximal biliary obstruction (Are et al). 2006;140:756-63
Chromones
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15
Clathrin heavy chains
Clathrin heavy chain is required for TNF-induced inflammatory signaling (Escobar et al). 2006;140:268-72
Clinical clerkship
Implementation of a novel web-based objective structured clinical evaluation (Nackman et al). 2006;140:206-11
Clinical competence
Implementation of a novel web-based objective structured clinical evaluation (Nackman et al). 2006;140:206-11
Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training (Stefanidis et al). 2006;140:252-62
Utilization of standardized patients to evaluate clinical and interpersonal skills of surgical residents (Hassett et al). 2006;140:633-9
Clinical trials
Informed consent, capitation, and conflicts of interest in clinical trials: views from the field (Angelos et al). 2006;140:740-8
Cognition disorders
C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6
Colectomy
Is total colectomy the right choice in intractable slow-transit constipation? (Ripetti et al). 2006;140:435-40
Molecular analysis of colonic transformation in the ileum after total colectomy in rats (Fukushima et al). 2006;140:92-9, 93.e1-e12
Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon? (Raftopoulos et al). 2006;140:675-83
Collagen
Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study (Årgen et al). 2006;140:72-82
Colon
Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study (Årgen et al). 2006;140:72-82

Colonic diseases
Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon? (Raftopoulos et al). 2006;140:675-83
Colonic polyps
Rectal polyp: can it be a malignant melanoma? (Saiprasad et al). 2006;140:474-5
Colonic pouches
Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704
Colorectal neoplasms
Osteopontin inhibits macrophage nitric oxide synthesis to enhance tumor proliferation (Wai et al). 2006;140:132-40
Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95
Communication
Surgeon communication behaviors that lead patients to **not** recommend the surgeon to family members or friends: analysis and impact (McLafferty et al). 2006;140:616-24
Competence; *see* Clinical competence; Professional competence
Competency-based education
Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training (Stefanidis et al). 2006;140:252-62
Conflict of interest
Informed consent, capitation, and conflicts of interest in clinical trials: views from the field (Angelos et al). 2006;140:740-8
Constipation
Is total colectomy the right choice in intractable slow-transit constipation? (Ripetti et al). 2006;140:435-40
Coronary artery bypass
Interventions to improve guideline compliance following coronary artery bypass grafting (Yam et al). 2006;140:541-52
Coronary vessels
CD40 ligand increases expression of its receptor CD40 in human coronary artery endothelial cells (Chai et al). 2006;140:236-42
Secretoneurin increases monolayer permeability in human coronary artery endothelial cells (Yan et al). 2006;140:243-51
Corrections
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al) (2005;138:859-68). 2006;140:1065
Correspondence; *see* Letters to the Editors
Corticotropin
Adrenal venous sampling in primary hyperaldosteronism: comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing (Harvey et al). 2006;140:847-55
Cost-benefit analysis
Cost-effectiveness analysis of parathyroidectomy for asymptomatic primary hyperparathyroidism (Zanocco et al). 2006;140:874-82
CpG islands
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306
C-reactive protein
C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6
Crohn disease
Patterns and operative treatment of recurrent Crohn's disease: a prospective longitudinal study (Fichera et al). 2006;140:649-54
Curriculum
The medical education of United States citizens who train abroad (Norcini et al). 2006;140:338-46 (Editorial)
Cushing, Harvey
Harvey Cushing: the artist (Udelsman). 2006;140:841-6
Cystadenocarcinoma
Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma (Murakami et al). 2006;140:448-53
Cystadenoma, mucinous
"Ovarian mucinous cystadenoma as an etiology of the Zollinger-Ellison Syndrome" (Davis et al). 2006;140:836 (Letter)
Cytokines
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8
Cytoprotection
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85

D

Dacron; *see* Polyethylene terephthalates
Deglutition
Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries (Lombardi et al). 2006;140:1026-34
Dendritic cells
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8
Diagnosis, differential
Differential diagnosis of proximal biliary obstruction (Are et al). 2006;140:756-63
Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma (Murakami et al). 2006;140:448-53
Digestive system surgical procedures
Gastric body partition to avoid ulcerogenic risk and hypergastrinemia (Shyu et al). 2006;140:44-9
9,10-Dimethyl-1,2-benzanthracene
Pancreatic intraepithelial neoplasia and ductal adenocarcinoma induced by DMBA in mice (Osvaldt et al). 2006;140:803-9
Diphosphonates
Efficacy of zoledronate against neuroblastoma (Dickson et al). 2006;140:227-35
Dissection
Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Toniato and Boschin). 2006;140:482-3 (Letter); Yalçin). 2006;140:481-2 (Letter reply)

Response to comments on "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Yalçin). 2006;140:483 (Letter reply)

Documentation
Use of computerized ICU documentation to capture ICU core measures (Wahl et al). 2006;140:684-90

Donor selection
Experience with dual kidney transplants from donors at the extremes of age (Moore et al). 2006;140:597-606

Doping in sports
Blood doping in the surgical intensive care unit (Wan et al). 2006;140:6-8

Dose-response relationship, drug
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85

DOTATOC; *see* Octreotide

Drotrecogin alfa activated; *see* Protein C; Recombinant proteins

Drug screening assays, antitumor
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95

Duplicate publication
Response from Dr. Schmidt (Schmidt). 2006;140:1064
Response from Prof. Neuhaus (Neuhaus). 2006;140:1064
A tale of three papers (Murie et al). 2006;140:1063

E

Economics, medical
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8 (Editorial)

Editorials
Da Vinci's problem (Swift and Harken). 2006;140:336-7
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8
The international medical graduate in the US surgical training system: perspectives of an aging warrior (Brennan). 2006;140:362-6
The Mayo Clinic-Rochester experience with IMGs as general surgery trainees (Lamb and Farley). 2006;140:351-3
The medical education of United States citizens who train abroad (Norcini et al). 2006;140:338-46
"Posterior retroperitoneoscopic adrenalectomy. Results of 560 procedures in 520 patients" (Evans and Perrier). 2006;140:951-2 (Editorial)
The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States (Debas). 2006;140:359-61
Routine central neck lymph node dissection for thyroid carcinoma (Doherty). 2006;140:1007-8 (Editorial)
Selecting international medical graduates (IMGs) for training in US surgical residencies (Horvath and Pellegrini). 2006;140:347-50
Special section: International medical graduates and surgical training in the United States (Warshaw and Sarr). 2006;140:335

Education, medical
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8 (Editorial)
The international medical graduate in the US surgical training system: perspectives of an aging warrior (Brennan). 2006;140:362-6 (Editorial)
Notes from an air force hospital in Iraq (McGreevy). 2006;140:830-1

Education, medical, undergraduate
The medical education of United States citizens who train abroad (Norcini et al). 2006;140:338-46 (Editorial)

Educational measurement
Implementation of a novel web-based objective structured clinical evaluation (Nackman et al). 2006;140:206-11

e1F4E; *see* Eukaryotic initiation factor-4E

Efficiency
Improving operating room efficiency through process redesign (Harders et al). 2006;140:509-16

Elasticity
Mesh incisional herniorrhaphy increases abdominal wall elastic properties: a mechanism for decreased hernia recurrences in comparison with suture repair (DuBay et al). 2006;140:14-24

Emergency treatment
Emergency endovascular stent-graft treatment for acute thoracic aortic syndromes (Caronno et al). 2006;140:58-65

Emigration and immigration
The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States (Debas). 2006;140:359-61 (Editorial)

Endothelial cells
CD40 ligand increases expression of its receptor CD40 in human coronary artery endothelial cells (Chai et al). 2006;140:236-42
Secretoneurin increases monolayer permeability in human coronary artery endothelial cells (Yan et al). 2006;140:243-51

Enterocutaneous fistula; *see* Intestinal fistula

Epithelial cells
TGF-β inhibits Akt-induced transformation in intestinal epithelial cells (Cao et al). 2006;140:322-9

Epithelium
Enterogenesis in a clinically feasible model of mechanical small-bowel lengthening (Spencer et al). 2006;140:212-20
Lymphoepithelial cyst of the pancreas (Castaldo et al). 2006;140:476-8

Esophageal neoplasms
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68. Correction). 2006;140:1065
^{18}F-FDG accumulations in primary malignant melanoma of the esophagus (Okano et al). 2006;140:118-9

Estradiol
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8

Estrogen receptor alpha
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8

Ether, ethyl
Ether Day, 1846, revisited (Warshaw). 2006;140:472-3

Ethics, medical
Informed consent, capitation, and conflicts of interest in clinical trials: views from the field (Angelos et al). 2006;140:740-8

Ethics, research
Response from Dr. Schmidt (Schmidt). 2006;140:1064
Response from Prof. Neuhaus (Neuhaus). 2006;140:1064
A tale of three papers (Murie et al). 2006;140:1063

Eukaryotic initiation factor-4E
Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9
Exercise
Blood doping in the surgical intensive care unit (Wan et al). 2006;140:6-8
Extracellular signal-regulated kinase; *see* Mitogen-activated protein kinases

F

Fascia
Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons (Rege). 2006;140:12-3 (Commentary)
Fetus
Postnatal myocardial augmentation with skeletal myoblast–based fetal tissue engineering (Fuchs et al). 2006;140:100-7
Fibrin tissue adhesive
Enterocutaneous fistula: are treatments improving? (Draus, Jr. et al). 2006;140:570-8
Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model (Ogura et al). 2006;140:66-71
Fibrinogen
Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding (Ohnishi et al). 2006;140:785-92
Fluorescent dyes
Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding (Ohnishi et al). 2006;140:785-92
Fluorodeoxyglucose F18
^{18}F-FDG accumulations in primary malignant melanoma of the esophagus (Okano et al). 2006;140:118-9
Fluorouracil
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95
5-fluorouracil; *see* Fluorouracil
Foreign medical graduates
Da Vinci's problem (Swift and Harken). 2006;140:336-7 (Editorial)
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8 (Editorial)
The international medical graduate in the US surgical training system: perspectives of an aging warrior (Brennan). 2006;140:362-6 (Editorial)
The Mayo Clinic-Rochester experience with IMGs as general surgery trainees (Lamb and Farley). 2006;140:351-3 (Editorial)
The medical education of United States citizens who train abroad (Norcini et al). 2006;140:338-46 (Editorial)
The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States (Debas). 2006;140:359-61 (Editorial)
Selecting international medical graduates (IMGs) for training in US surgical residencies (Horvath and Pellegrini). 2006;140:347-50 (Editorial)
Special section: International medical graduates and surgical training in the United States (Warshaw and Sarr). 2006;140:335 (Editorial)
Fulminant hepatic necrosis; *see* Liver failure, acute

G

Gastric bypass
Laparoscopic gastric bypass: risks vs. benefits up to two years following surgery in super-super obese patients (Gould et al). 2006;140:524-31
The malabsorptive very, very long limb Roux-en-Y gastric bypass for super obesity: results in 257 patients (Nelson et al). 2006;140:517-23
Gastric mucosa
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
Gastrins
Gastric body partition to avoid ulcerogenic risk and hypergastrinemia (Shyu et al). 2006;140:44-9
Gastroesophageal reflux
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
Gastrointestinal hemorrhage
Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding (Ohnishi et al). 2006;140:785-92
Gastrointestinal neoplasms
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68. Correction). 2006;140:1065
Malignant gastrointestinal stromal neoplasm (Jovine et al). 2006;140:832-4
Gemcitabine
Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model (Ogura et al). 2006;140:66-71
Gene expression
Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80
Molecular analysis of colonic transformation in the ileum after total colectomy in rats (Fukushima et al). 2006;140:92-9, 93.e1-e12
Gene silencing
Recognizing genes differentially regulated in vitro by the multiple endocrine neoplasia type 1 *(MEN1)* gene, using RNA interference and oligonucleotide microarrays (Stålberg et al). 2006;140:921-31
Gene therapy
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34
Gene transfer techniques
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80
Genes, homeobox
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80
Genome, human
Preemptive surgery (McAuliffe and Cance). 2006;140:1-5

Graft occlusion, vascular
Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403

Graves' disease
Surgical management of Graves disease in childhood and adolescence: an institutional experience (Sherman et al). 2006;140:1056-62

Guideline adherence
Interventions to improve guideline compliance following coronary artery bypass grafting (Yam et al). 2006;140:541-52

H

Health manpower
Da Vinci's problem (Swift and Harken). 2006;140:336-7 (Editorial)
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8 (Editorial)
The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States (Debas). 2006;140:359-61 (Editorial)
Special section: International medical graduates and surgical training in the United States (Warshaw and Sarr). 2006;140:335 (Editorial)

Hematopoiesis
Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts (Moadsiri et al). 2006;140:315-21

Hemorrhage
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8
Profound hypothermia is superior to ultraprofound hypothermia in improving survival in a swine model of lethal injuries (Alam et al). 2006;140:307-14

Hepatectomy
Does thermal ablation promote liver metastases progression more than resection? (Burdio). 2006;140:479-80 (Letter)
Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403
Preoperative regional maximal removal rate of technetium-99m-galactosyl human serum albumin (GSA-Rmax) is useful for judging the safety of hepatic resection (Kwon et al). 2006;140:379-86
Re: "Altered growth patterns of colorectal liver metastases after thermal ablation" (Nikfarjam and Christophi). 2006;140:480 (Letter)
Small remnant liver volume after right lobe living donor hepatectomy (Ibrahim et al). 2006;140:749-55

Hepatic artery
"A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation" (Benedetto et al). 2006;140:835 (Letter)
Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Takatsuki et al). 2006;140:824-8
Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Hanto). 2006;140:829

Hepatocyte growth factor
Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7

Hernia
Mesh incisional herniorrhaphy increases abdominal wall elastic properties: a mechanism for decreased hernia recurrences in comparison with suture repair (DuBay et al). 2006;140:14-24

Hernia, hiatal
Outcomes of laparoscopic paraesophageal hernia repair in elderly and high-risk patients (Gangopadhyay et al). 2006;140:491-9

Hernia, inguinal
Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons (Rege). 2006;140:12-3 (Commentary)
Incidence of occult inguinal and spigelian hernias during laparoscopy of other reasons (Paajanen et al). 2006;140:9-12
Patient-reported outcomes after inguinal herniorrhaphy (Hawn et al). 2006;140:198-205

Hernia, ventral
Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons (Rege). 2006;140:12-3 (Commentary)
Incidence of occult inguinal and spigelian hernias during laparoscopy of other reasons (Paajanen et al). 2006;140:9-12

History of medicine
Ether Day, 1846, revisited (Warshaw). 2006;140:472-3
Harvey Cushing: the artist (Udelsman). 2006;140:841-6

Homeobox gene-1; *see* Genes, homeobox

Hospitalization
Analysis of trends in the Florida Trauma System (1991-2003): changes in mortality after establishment of new centers (Pracht et al). 2006;140:34-43

Hospitals, military
Notes from an air force hospital in Iraq (McGreevy). 2006;140:830-1

Hospitals, rural
Rural hospitals and volume standards in surgery (Dimick and Finlayson). 2006;140:367-71

Hyperaldosteronism
Adrenal venous sampling in primary hyperaldosteronism: comparison of radiographic with biochemical success and the clinical decision-making with "less than ideal" testing (Harvey et al). 2006;140:847-55

Hypercalcemia
What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy (Chiu et al). 2006;140:418-22

Hyperglycemia
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80

Hyperparathyroidism
Cost-effectiveness analysis of parathyroidectomy for asymptomatic primary hyperparathyroidism (Zanocco et al). 2006;140:874-82
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140:837-8 (Letter)
Improvement in the health-related quality-of-life symptoms of hyperparathyroidism is durable on long-term follow-up (Edwards et al). 2006;140:655-64

Interpretation of intraoperative parathyroid hormone monitoring in patients with baseline parathyroid hormone levels of <100pg/mL (Miller et al). 2006;140:883-90
Less-than-subtotal parathyroidectomy increases the risk of persistent/recurrent hyperparathyroidism after parathyroidectomy in tertiary hyperparathyroidism after renal transplantation (Triponez et al). 2006;140:990-9
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Radionuclide imaging for hyperparathyroidism (HPT): which is the best technetium-99m sestamibi modality? (Sharma et al). 2006;140:856-65
What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy (Chiu et al). 2006;140:418-22

Hyperparathyroidism, primary
The role of parathyroid hormone measurements after surgery for primary hyperparathyroidism (Yen et al). 2006;140:665-74

Hyperplasia
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96

Hypocalcemia
Parathyroid hormone levels 4 hours after surgery do not accurately predict post-thyroidectomy hypocalcemia (Lombardi et al). 2006;140:1016-25

Hypothermia, induced
Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia- reperfusion (Niemann et al). 2006;140:404-12
Profound hypothermia is superior to ultraprofound hypothermia in improving survival in a swine model of lethal injuries (Alam et al). 2006;140:307-14

Hysterectomy
Long-term results and functional outcome after cervical evisceration in patients with thyroid cancer (Brauckhoff et al). 2006;140:953-9

I

Ileal bile acid transporter; *see* Organic anion transporters, sodium-dependent; Symporters

Ileal pouches; *see* Colonic pouches

Ileum
Molecular analysis of colonic transformation in the ileum after total colectomy in rats (Fukushima et al). 2006;140:92-9, 93.e1-e12

Images in surgery
^{18}F-FDG accumulations in primary malignant melanoma of the esophagus (Okano et al). 2006;140:118-9
Lymphoepithelial cyst of the pancreas (Castaldo et al). 2006;140:476-8
Malignant gastrointestinal stromal neoplasm (Jovine et al). 2006;140:832-4
Rectal polyp: can it be a malignant melanoma? (Saiprasad et al). 2006;140:474-5

Immunization
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306

Infant, newborn
Postnatal myocardial augmentation with skeletal myoblast–based fetal tissue engineering (Fuchs et al). 2006;140:100-7

Infection
RNA interference: mechanisms of action and therapeutic consideration (Rychahou et al). 2006;140:719-25

Inflammation
Clathrin heavy chain is required for TNF-induced inflammatory signaling (Escobar et al). 2006;140:268-72
C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6
Decreased progression of postinjury lung dysfunction to the acute respiratory distress syndrome and multiple organ failure (Ciesla et al). 2006;140:640-8
Pentoxifylline attenuates stored blood-induced inflammation: a new perspective on an old problem (Deree et al). 2006;140:186-91
RNA interference: mechanisms of action and therapeutic consideration (Rychahou et al). 2006;140:719-25

Informed consent
Informed consent, capitation, and conflicts of interest in clinical trials: views from the field (Angelos et al). 2006;140:740-8

Infusions, intra-arterial
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95

Insulin
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80

Insulin resistance
Increased plasma interleukin 6 concentrations and exaggerated adipose tissue interleukin 6 content in severely obese patients after operative trauma (Gletsu et al). 2006;140:50-7

Insurance, liability
Analysis of surgical errors in closed malpractice claims at 4 liability insurers (Rogers et al). 2006;140:25-33

Intensive care units
Blood doping in the surgical intensive care unit (Wan et al). 2006;140:6-8
Use of computerized ICU documentation to capture ICU core measures (Wahl et al). 2006;140:684-90

Interferon-alpha
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306

Interleukin-4
Abrogation of recurrent autoimmunity in the NOD mouse: a critical role for host interleukin 4 (Shi et al). 2006;140:281-8

Interleukin-6
Increased plasma interleukin 6 concentrations and exaggerated adipose tissue interleukin 6 content in severely obese patients after operative trauma (Gletsu et al). 2006;140:50-7
Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning (Matsumoto et al). 2006;140:793-802

Interleukin-10
Abrogation of recurrent autoimmunity in the NOD mouse: a critical role for host interleukin 4 (Shi et al). 2006;140:281-8

Interleukin-12
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8

Internship and residency
The discovery of new knowledge: our scientific mission (Michelassi). 2006;140:485-90
The international medical graduate in the US surgical training system: perspectives of an aging warrior (Brennan). 2006;140:362-6 (Editorial)
The Mayo Clinic-Rochester experience with IMGs as general surgery trainees (Lamb and Farley). 2006;140:351-3 (Editorial)
The problem of heavy reliance on international medical graduates to supply the surgical workforce in the United States (Debas). 2006;140:359-61 (Editorial)
Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training (Stefanidis et al). 2006;140:252-62
Selecting international medical graduates (IMGs) for training in US surgical residencies (Horvath and Pellegrini). 2006;140:347-50 (Editorial)
Special section: International medical graduates and surgical training in the United States (Warshaw and Sarr). 2006;140:335 (Editorial)
Utilization of standardized patients to evaluate clinical and interpersonal skills of surgical residents (Hassett et al). 2006;140:633-9

Interpersonal relations
Utilization of standardized patients to evaluate clinical and interpersonal skills of surgical residents (Hassett et al). 2006;140:633-9

Intestinal absorption
Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock (Fujiyoshi et al). 2006;140:810-7

Intestinal fistula
Enterocutaneous fistula: are treatments improving? (Draus, Jr. et al). 2006;140:570-8

Intestinal mucosa
Forced expression of PDX-1 induces insulin production in intestinal epithelia (Koizumi et al). 2006;140:273-80
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34
TGF-β inhibits Akt-induced transformation in intestinal epithelial cells (Cao et al). 2006;140:322-9

Intestine, small
Enterogenesis in a clinically feasible model of mechanical small-bowel lengthening (Spencer et al). 2006;140:212-20

Intestines
Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock (Zakaria et al). 2006;140:579-88

Intraductal papillary-mucinous neoplasms; *see* Neoplasms, cystic, mucinous, and serous

Intraoperative complications
Analysis of large versus small pheochromocytomas: operative approaches and patient outcomes (Wilhelm et al). 2006;140:553-60

Intraoperative period
The role of intraoperative neuromonitoring of recurrent laryngeal nerve during thyroidectomy: a comparative study on 1000 nerves at risk (Chan et al). 2006;140:866-73

Invited commentary
Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons (Rege). 2006;140:12-3
Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Hanto). 2006;140:829
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2

Iodine radioisotopes
Contralateral papillary thyroid cancer at completion thyroidectomy has no impact on recurrence or survival after radioiodine treatment (Grigsby et al). 2006;140:1043-9
Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding (Ohnishi et al). 2006;140:785-92

Iraq
Notes from an air force hospital in Iraq (McGreevy). 2006;140:830-1

Ischemia
Acute limb ischemia associated with type B aortic dissection: clinical relevance and therapy (Henke et al). 2006;140:532-40

Ischemia/reperfusion injury; *see* Reperfusion injury

Ischemic preconditioning
Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels (Feng et al). 2006;140:192-7
Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning (Matsumoto et al). 2006;140:793-802

Islets of Langerhans transplantation
Abrogation of recurrent autoimmunity in the NOD mouse: a critical role for host interleukin 4 (Shi et al). 2006;140:281-8

J

Jejunum
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34

Journalism, medical
Response from Dr. Schmidt (Schmidt). 2006;140:1064
Response from Prof. Neuhaus (Neuhaus). 2006;140:1064
A tale of three papers (Murie et al). 2006;140:1063

K

Kidney transplantation
Experience with dual kidney transplants from donors at the extremes of age (Moore et al). 2006;140:597-606
Less-than-subtotal parathyroidectomy increases the risk of persistent/recurrent hyperparathyroidism after parathyroidectomy in tertiary hyperparathyroidism after renal transplantation (Triponez et al). 2006;140:990-9

Killer cells , natural
Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts (Moadsiri et al). 2006;140:315-21

Kruppel -like transcription factors
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96

Kupffer cells
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8

L

Laparoscopy
Analysis of large versus small pheochromocytomas: operative approaches and patient outcomes (Wilhelm et al). 2006; 140:553-60
Incidence of occult inguinal and spigelian hernias during laparoscopy for other reasons (Rege). 2006;140:12-3 (Commentary)
Incidence of occult inguinal and spigelian hernias during laparoscopy of other reasons (Paajanen et al). 2006;140: 9-12
Laparoscopic gastric bypass: risks vs. benefits up to two years following surgery in super-super obese patients (Gould et al). 2006;140:524-31
Outcomes of laparoscopic paraesophageal hernia repair in elderly and high-risk patients (Gangopadhyay et al). 2006; 140:491-9
Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training (Stefanidis et al). 2006;140:252-62
Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon? (Raftopoulos et al). 2006;140:675-83

Laryngeal nerves
Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries (Lombardi et al). 2006;140:1026-34

Length of stay
Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay (Woo and Nacke). 2006;140:263-7

Letters to the Editors
"A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation" (Benedetto et al). 2006;140:835 (Letter)
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery with statistical considerations (Polednak). 2006;140:481 (Letter)
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140: 837-8 (Letter)
Does thermal ablation promote liver metastases progression more than resection? (Burdio). 2006;140:479-80 (Letter)
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
"Ovarian mucinous cystadenoma as an etiology of the Zollinger-Ellison Syndrome" (Davis et al). 2006;140:836 (Letter)
Re: "Altered growth patterns of colorectal liver metastases after thermal ablation" (Nikfarjam and Christophi). 2006; 140:480 (Letter)
Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Toniato and Boschin). 2006; 140:482-3 (Letter); Yalçin). 2006;140:481-2 (Letter reply)
Response to comments on "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Yalçin). 2006;140:483 (Letter reply)
"Using an internal thoracic artery holder in pancreaticojejunostomy" (Satoi et al). 2006;140:836-7 (Letter)
Utility of repeat radiofrequency ablation to provide long-term local control in recurrent rectal cancer (Vermaas et al). 2006;140:120

Life style
Interventions to improve guideline compliance following coronary artery bypass grafting (Yam et al). 2006;140:541-52

Limb salvage
Acute limb ischemia associated with type B aortic dissection: clinical relevance and therapy (Henke et al). 2006;140: 532-40

Liver
Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning (Matsumoto et al). 2006;140:793-802

Liver failure, acute
Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia- reperfusion (Niemann et al). 2006;140:404-12

Liver function tests
Preoperative regional maximal removal rate of technetium-99m-galactosyl human serum albumin (GSA-Rmax) is useful for judging the safety of hepatic resection (Kwon et al). 2006;140:379-86

Liver neoplasms
Does thermal ablation promote liver metastases progression more than resection? (Burdio). 2006;140:479-80 (Letter)
Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival (Givi et al). 2006;140:891-8
Re: "Altered growth patterns of colorectal liver metastases after thermal ablation" (Nikfarjam and Christophi). 2006; 140:480 (Letter)
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95

Liver transplantation
"A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation" (Benedetto et al). 2006;140:835 (Letter)
Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Takatsuki et al). 2006;140:824-8
Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Hanto). 2006;140:829
Liver transplantation for perihilar cholangiocarcinoma after aggressive neoadjuvant therapy: a new paradigm for liver and biliary malignancies? (Heimbach et al). 2006;140:331-4
Small remnant liver volume after right lobe living donor hepatectomy (Ibrahim et al). 2006;140:749-55

Living donors
Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Takatsuki et al). 2006;140:824-8
Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Hanto). 2006;140:829
Small remnant liver volume after right lobe living donor hepatectomy (Ibrahim et al). 2006;140:749-55

Lung diseases
Decreased progression of postinjury lung dysfunction to the acute respiratory distress syndrome and multiple organ failure (Ciesla et al). 2006;140:640-8

Lung transplantation
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85

Lutetium
Treatment with ^{90}Y- and ^{177}Lu-DOTATOC in patients with metastatic neuroendocrine tumors (Frilling et al). 2006; 140:968-77
LY294002; *see* Chromones; Morpholines
Lymph node biopsy; *see* Sentinel lymph node biopsy
Lymph node excision
Routine ipsilateral level VI lymphadenectomy reduces postoperative thyroglobulin levels in papillary thyroid cancer (Sywak et al). 2006;140:1001-7
Lymph nodes
Routine central neck lymph node dissection for thyroid carcinoma (Doherty). 2006;140:1007-8 (Editorial)
Lymphatic metastasis
Lymph node metastases in differentiated thyroid cancer under 2 cm (Reddy et al). 2006;140:1050-5
Lymphoid tissue
Lymphoepithelial cyst of the pancreas (Castaldo et al). 2006; 140:476-8

M

Macrophages
Osteopontin inhibits macrophage nitric oxide synthesis to enhance tumor proliferation (Wai et al). 2006;140:132-40
Magnetic resonance imaging
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Malpractice
Analysis of surgical errors in closed malpractice claims at 4 liability insurers (Rogers et al). 2006;140:25-33
Mast cells
Mast cells facilitate local VEGF release as an early event in the pathogenesis of postoperative peritoneal adhesions (Cahill et al). 2006;140:108-12
Matrix metalloproteinases
Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study (Årgen et al). 2006;140:72-82
Role of platelet-derived growth factor and transforming growth factor β_1 the in the regulation of metalloproteinase expressions (Borrelli et al). 2006;140:454-63
Medical errors
Analysis of surgical errors in closed malpractice claims at 4 liability insurers (Rogers et al). 2006;140:25-33
Medical ethics; *see* Ethics, medical
Medical records systems, computerized
Use of computerized ICU documentation to capture ICU core measures (Wahl et al). 2006;140:684-90
Medically underserved area
Globalization and the health workforce shortage (Sheldon). 2006;140:354-8 (Editorial)
Melanoma
^{18}F-FDG accumulations in primary malignant melanoma of the esophagus (Okano et al). 2006;140:118-9
Rectal polyp: can it be a malignant melanoma? (Saiprasad et al). 2006;140:474-5
Mentors
The discovery of new knowledge: our scientific mission (Michelassi). 2006;140:485-90
Mesenchymal stem cells
Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts (Moadsiri et al). 2006;140:315-21
Mesenteric artery, superior
"A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation" (Benedetto et al). 2006;140:835 (Letter)
Metaplasia
Evidence for chief cells within columnar-lined esophagus? (Lenglinger et al). 2006;140:479 (Letter)
Microarray analysis; *see* Oligonucleotide array sequence analysis
Microcirculation
Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock (Zakaria et al). 2006;140:579-88
Microtubule-associated proteins
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96
Mitogen-activated protein kinases
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8
Mitral valve
Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay (Woo and Nacke). 2006;140:263-7
Molsidomine
Bacterial translocation as a source of Dacron-graft contamination in experimental aortic operation: the importance of controlling SIRS (Lozano et al). 2006;140:83-92
Moments in surgery
Ether Day, 1846, revisited (Warshaw). 2006;140:472-3
Notes from an air force hospital in Iraq (McGreevy). 2006; 140:830-1
Monocyte chemoattractant protein-1
Clathrin heavy chain is required for TNF-induced inflammatory signaling (Escobar et al). 2006;140:268-72
Morpholines
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15
Mortality
Analysis of trends in the Florida Trauma System (1991-2003): changes in mortality after establishment of new centers (Pracht et al). 2006;140:34-43
Mucinous cystic neoplasms; *see* Cystadenocarcinoma
Multiple endocrine neoplasia type 1
Recognizing genes differentially regulated in vitro by the multiple endocrine neoplasia type 1 *(MEN1)* gene, using RNA interference and oligonucleotide microarrays (Stålberg et al). 2006;140:921-31
Multiple organ failure
Decreased progression of postinjury lung dysfunction to the acute respiratory distress syndrome and multiple organ failure (Ciesla et al). 2006;140:640-8
Myeloid cells
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8
Myoblasts, skeletal
Postnatal myocardial augmentation with skeletal myoblast–based fetal tissue engineering (Fuchs et al). 2006;140:100-7

Myocytes, smooth muscle
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96

N

Neck
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42

Neck dissection
Routine central neck lymph node dissection for thyroid carcinoma (Doherty). 2006;140:1007-8 (Editorial)

Neoadjuvant therapy
Liver transplantation for perihilar cholangiocarcinoma after aggressive neoadjuvant therapy: a new paradigm for liver and biliary malignancies? (Heimbach et al). 2006;140:331-4

Neoplasm invasiveness
Lymph node metastases in differentiated thyroid cancer under 2 cm (Reddy et al). 2006;140:1050-5

Neoplasm metastasis
Does thermal ablation promote liver metastases progression more than resection? (Burdio). 2006;140:479-80 (Letter)
Efficacy of zoledronate against neuroblastoma (Dickson et al). 2006;140:227-35
Malignant gastrointestinal stromal neoplasm (Jovine et al). 2006;140:832-4
Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival (Givi et al). 2006;140:891-8
Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403
Re: "Altered growth patterns of colorectal liver metastases after thermal ablation" (Nikfarjam and Christophi). 2006;140:480 (Letter)
Repeated hepatic intra-arterial chemotherapy based on results of anticancer drug sensitivity test in patients with synchronous hepatic metastases from colorectal cancer (Matsuoka et al). 2006;140:387-95
Treatment with ^{90}Y- and ^{177}Lu-DOTATOC in patients with metastatic neuroendocrine tumors (Frilling et al). 2006;140:968-77

Neoplasm proteins
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96

Neoplasm recurrence, local
Analysis of large versus small pheochromocytomas: operative approaches and patient outcomes (Wilhelm et al). 2006;140:553-60
Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model (Ogura et al). 2006;140:66-71
Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9
Utility of repeat radiofrequency ablation to provide long-term local control in recurrent rectal cancer (Vermaas et al). 2006;140:120 (Letter)

Neoplasm staging
Selective or routine axillary disease staging for patients with clinically lymph node–negative breast cancer? (Hieken and Velasco). 2006;140:500-8

Neoplasms
Preemptive surgery (McAuliffe and Cance). 2006;140:1-5

Neoplasms, cystic, mucinous, and serous
Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma (Murakami et al). 2006;140:448-53

Neuralgia
Patient-reported outcomes after inguinal herniorrhaphy (Hawn et al). 2006;140:198-205

Neuroblastoma
Efficacy of zoledronate against neuroblastoma (Dickson et al). 2006;140:227-35

Neuroendocrine tumors
Treatment with ^{90}Y- and ^{177}Lu-DOTATOC in patients with metastatic neuroendocrine tumors (Frilling et al). 2006;140:968-77

Neuropeptides
Secretoneurin increases monolayer permeability in human coronary artery endothelial cells (Yan et al). 2006;140:243-51

Neurosurgery
Harvey Cushing: the artist (Udelsman). 2006;140:841-6

Neutrophil
Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock (Fujiyoshi et al). 2006;140:810-7

Nitric oxide synthase
Osteopontin inhibits macrophage nitric oxide synthesis to enhance tumor proliferation (Wai et al). 2006;140:132-40

O

Obesity
Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia- reperfusion (Niemann et al). 2006;140:404-12
Should completely intracorporeal anastomosis be considered in obese patients who undergo laparoscopic colectomy for benign or malignant disease of the colon? (Raftopoulos et al). 2006;140:675-83

Obesity, morbid
Increased plasma interleukin 6 concentrations and exaggerated adipose tissue interleukin 6 content in severely obese patients after operative trauma (Gletsu et al). 2006;140:50-7
Laparoscopic gastric bypass: risks vs. benefits up to two years following surgery in super-super obese patients (Gould et al). 2006;140:524-31
The malabsorptive very, very long limb Roux-en-Y gastric bypass for super obesity: results in 257 patients (Nelson et al). 2006;140:517-23

Octreotide
Enterocutaneous fistula: are treatments improving? (Draus, Jr. et al). 2006;140:570-8
Treatment with ^{90}Y- and ^{177}Lu-DOTATOC in patients with metastatic neuroendocrine tumors (Frilling et al). 2006;140:968-77

Oligodeoxyribonucleotides
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306
Oligonucleotide array sequence analysis
Patterns of expression of cell cycle/apoptosis genes along the spectrum of thyroid carcinoma progression (Saltman et al). 2006;140:899-906
Recognizing genes differentially regulated in vitro by the multiple endocrine neoplasia type 1 *(MEN1)* gene, using RNA interference and oligonucleotide microarrays (Stålberg et al). 2006;140:921-31
Oligonucleotides, antisense
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60
Operating rooms
Improving operating room efficiency through process redesign (Harders et al). 2006;140:509-16
Organ size
Small remnant liver volume after right lobe living donor hepatectomy (Ibrahim et al). 2006;140:749-55
Organic anion transporters, sodium-dependent
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34
Organoids
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34
Orthotopic transplantation; *see* Transplantation, isogeneic
Osteopontin; *see* Siaglycoproteins; Sialoglycoproteins
Outcome assessment, health care
Long-term results and functional outcome after cervical evisceration in patients with thyroid cancer (Brauckhoff et al). 2006;140:953-9
Outcomes of adrenal cortical carcinoma in the United States (Paton et al). 2006;140:914-20
Resected periampullary adenocarcinoma: 5-year survivors and their 6- to 10-year follow-up (Riall et al). 2006;140:764-72
Ovarian neoplasms
"Ovarian mucinous cystadenoma as an etiology of the Zollinger-Ellison Syndrome" (Davis et al). 2006;140:836 (Letter)

P

Pain, intractable
Is total colectomy the right choice in intractable slow-transit constipation? (Ripetti et al). 2006;140:435-40
Pancreatectomy
Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model (Ogura et al). 2006;140:66-71
Pancreatic cyst
Lymphoepithelial cyst of the pancreas (Castaldo et al). 2006;140:476-8
Pancreatic fistula
Current management of pancreatic fistula after pancreaticoduodenectomy (Aranha et al). 2006;140:561-9
Evaluation and management of thoracopancreatic fistula (Tajima et al). 2006;140:773-8
Pancreatic neoplasms
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68. Correction). 2006;140:1065
Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma (Murakami et al). 2006;140:448-53
Pancreatic intraepithelial neoplasia and ductal adenocarcinoma induced by DMBA in mice (Osvaldt et al). 2006;140:803-9
Strategy for prevention of local recurrence of pancreatic cancer after pancreatectomy: antitumor effect of gemcitabine mixed with fibrin glue in an orthotopic nude mouse model (Ogura et al). 2006;140:66-71
Pancreaticoduodenectomy
Current management of pancreatic fistula after pancreaticoduodenectomy (Aranha et al). 2006;140:561-9
Resected periampullary adenocarcinoma: 5-year survivors and their 6- to 10-year follow-up (Riall et al). 2006;140:764-72
Pancreaticojejunostomy
"Using an internal thoracic artery holder in pancreaticojejunostomy" (Satoi et al). 2006;140:836-7 (Letter)
Paraesophageal hernia; *see* Hernia, hiatal
Parathyroid glands
Changes of the speaking and singing voice after thyroid or parathyroid surgery (Musholt et al). 2006;140:978-89
Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2
Parathyroid hormones
Interpretation of intraoperative parathyroid hormone monitoring in patients with baseline parathyroid hormone levels of <100pg/mL (Miller et al). 2006;140:883-90
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Parathyroid hormone levels 4 hours after surgery do not accurately predict post-thyroidectomy hypocalcemia (Lombardi et al). 2006;140:1016-25
The role of parathyroid hormone measurements after surgery for primary hyperparathyroidism (Yen et al). 2006;140:665-74
What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy (Chiu et al). 2006;140:418-22
Parathyroidectomy
Cost-effectiveness analysis of parathyroidectomy for asymptomatic primary hyperparathyroidism (Zanocco et al). 2006;140:874-82
Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41
Improvement in the health-related quality-of-life symptoms of hyperparathyroidism is durable on long-term follow-up (Edwards et al). 2006;140:655-64
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2

Less-than-subtotal parathyroidectomy increases the risk of persistent/recurrent hyperparathyroidism after parathyroidectomy in tertiary hyperparathyroidism after renal transplantation (Triponez et al). 2006;140:990-9

What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy (Chiu et al). 2006;140:418-22

Patient compliance

Interventions to improve guideline compliance following coronary artery bypass grafting (Yam et al). 2006;140:541-52

Patient discharge

Financial and operational impact of a direct-from-PACU discharge pathway for laparoscopic cholecystectomy patients (Sandberg et al). 2006;140:372-8

Patient satisfaction

Patient-reported outcomes after inguinal herniorrhaphy (Hawn et al). 2006;140:198-205

Patient-physician relations

Surgeon communication behaviors that lead patients to **not** recommend the surgeon to family members or friends: analysis and impact (McLafferty et al). 2006;140:616-24

Pediatrics

Thomas Vincent Santulli: a central figure in the development of pediatric surgery in New York City (Cowles et al). 2006; 140:113-7

Pelvic infection

Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704

Pentoxifylline

Pentoxifylline attenuates stored blood-induced inflammation: a new perspective on an old problem (Deree et al). 2006; 140:186-91

Peptic ulcer

Gastric body partition to avoid ulcerogenic risk and hypergastrinemia (Shyu et al). 2006;140:44-9

Performance appraisals; *see* Task performance and analysis

Perihilar cholangiocarcinoma; *see* Cholangiocarcinoma

Peritoneal cavity

Mast cells facilitate local VEGF release as an early event in the pathogenesis of postoperative peritoneal adhesions (Cahill et al). 2006;140:108-12

Peritoneum

Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7

Pheochromocytoma

Analysis of large versus small pheochromocytomas: operative approaches and patient outcomes (Wilhelm et al). 2006; 140:553-60

1-Phosphatidylinositol 3-kinase

Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15

TGF-β inhibits Akt-induced transformation in intestinal epithelial cells (Cao et al). 2006;140:322-9

Phyllodes tumor

Needle core biopsy in the diagnosis of phyllodes neoplasm (Dillon et al). 2006;140:779-84

Platelet-derived growth factor

Role of platelet-derived growth factor and transforming growth factor β_1 the in the regulation of metalloproteinase expressions (Borrelli et al). 2006;140:454-63

Portraits

Ether Day, 1846, revisited (Warshaw). 2006;140:472-3

Postoperative complications

Adenoviral-mediated gene expression of hepatocyte growth factor prevents postoperative peritoneal adhesion in a rat model (Liu et al). 2006;140:441-7

Analysis of large versus small pheochromocytomas: operative approaches and patient outcomes (Wilhelm et al). 2006; 140:553-60

Changes of the speaking and singing voice after thyroid or parathyroid surgery (Musholt et al). 2006;140:978-89

C-reactive protein and inflammatory response associated to neurocognitive decline following cardiac surgery (Ramlawi et al). 2006;140:221-6

Current management of pancreatic fistula after pancreaticoduodenectomy (Aranha et al). 2006;140:561-9

Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704

Patient-reported outcomes after inguinal herniorrhaphy (Hawn et al). 2006;140:198-205

Potassium channels, calcium-activated

Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels (Feng et al). 2006;140:192-7

Preoperative care

Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41

Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2

Portal triad clamping (TC) or hepatic vascular exclusion (VE) for major liver resection after prolonged neoadjuvant chemotherapy? A case-matched study in 60 patients (Benoist et al). 2006;140:396-403

Proctocolectomy, restorative

Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704

Professional competence

Surgeon communication behaviors that lead patients to **not** recommend the surgeon to family members or friends: analysis and impact (McLafferty et al). 2006;140:616-24

Prosperi, Warren

Ether Day, 1846, revisited (Warshaw). 2006;140:472-3

Protein C

International integrated database for the evaluation of severe sepsis and drotrecogin alfa (activated) therapy: analysis of efficacy and safety data in a large surgical cohort (Payen et al). 2006;140:726-39

Protein-serine-threonine kinases

Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9

Psychomotor performance

Psychomotor testing predicts rate of skill acquisition for proficiency-based laparoscopic skills training (Stefanidis et al). 2006;140:252-62

Public health practice

Differences and similarities between rural and urban operations (Galandiuk et al). 2006;140:589-96

Q

Quality of life
Improvement in the health-related quality-of-life symptoms of hyperparathyroidism is durable on long-term follow-up (Edwards et al). 2006;140:655-64
Laparoscopic gastric bypass: risks vs. benefits up to two years following surgery in super-super obese patients (Gould et al). 2006;140:524-31

R

Radiation tolerance
Bcl-XL antisense oligonucleotides coupled with antennapedia enhances radiation-induced apoptosis in pancreatic cancer (Masui et al). 2006;140:149-60
Radiofrequency ablation; *see* Catheter ablation
Radionuclide imaging
Radionuclide imaging for hyperparathyroidism (HPT): which is the best technetium-99m sestamibi modality? (Sharma et al). 2006;140:856-65
Radiotherapy, adjuvant
Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9
Radiotherapy, high-energy
Surgical technique of intraoperative radiation therapy with electrons (ELIOT) in breast cancer: a lesson learned by over 1000 procedures (Intra et al). 2006;140:467-71
Radiotherapy dosage
Surgical technique of intraoperative radiation therapy with electrons (ELIOT) in breast cancer: a lesson learned by over 1000 procedures (Intra et al). 2006;140:467-71
Receptor CD40; *see* TNF receptor-associated factor 3
Recombinant proteins
International integrated database for the evaluation of severe sepsis and drotrecogin alfa (activated) therapy: analysis of efficacy and safety data in a large surgical cohort (Payen et al). 2006;140:726-39
Reconstructive surgical procedures
"A new reconstruction of the accessory donor right hepatic artery with interposition of the SMA in liver transplantation" (Benedetto et al). 2006;140:835 (Letter)
Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Takatsuki et al). 2006;140:824-8
Invited commentary: Anatomic and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Hanto). 2006;140:829
Rectal neoplasms
Utility of repeat radiofrequency ablation to provide long-term local control in recurrent rectal cancer (Vermaas et al). 2006;140:120 (Letter)
Recurrence
Patterns and operative treatment of recurrent Crohn's disease: a prospective longitudinal study (Fichera et al). 2006; 140:649-54
Recurrent laryngeal nerve
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery with statistical considerations (Polednak). 2006;140:481 (Letter)
Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Toniato and Boschin). 2006; 140:482-3 (Letter); Yalçin). 2006;140:481-2 (Letter reply)
Response to comments on "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Yalçin). 2006;140:483 (Letter reply)
The role of intraoperative neuromonitoring of recurrent laryngeal nerve during thyroidectomy: a comparative study on 1000 nerves at risk (Chan et al). 2006;140:866-73
Thyroid tumors with preoperative recurrent laryngeal nerve palsy: clinicopathologic features and treatment outcome (Chiang et al). 2006;140:413-7
Referral and consultation
Rural hospitals and volume standards in surgery (Dimick and Finlayson). 2006;140:367-71
Reoperation
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Reperfusion injury
Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning (Matsumoto et al). 2006;140:793-802
Low-dose carbon monoxide inhalation prevents ischemia/reperfusion injury of transplanted rat lung grafts (Kohmoto et al). 2006;140:179-85
Mild hypothermia protects obese rats from fulminant hepatic necrosis induced by ischemia- reperfusion (Niemann et al). 2006;140:404-12
Research
The discovery of new knowledge: our scientific mission (Michelassi). 2006;140:485-90
Respiratory distress syndrome, adult
Decreased progression of postinjury lung dysfunction to the acute respiratory distress syndrome and multiple organ failure (Ciesla et al). 2006;140:640-8
Resuscitation
Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock (Zakaria et al). 2006;140:579-88
RNA interference
Recognizing genes differentially regulated in vitro by the multiple endocrine neoplasia type 1 *(MEN1)* gene, using RNA interference and oligonucleotide microarrays (Stålberg et al). 2006;140:921-31
RNA interference: mechanisms of action and therapeutic consideration (Rychahou et al). 2006;140:719-25
Robotics
Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay (Woo and Nacke). 2006;140:263-7
Rosiglitazone; *see* Thiazolidinediones
Rural health services
Differences and similarities between rural and urban operations (Galandiuk et al). 2006;140:589-96

S

Saline solution, hypertonic
Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock (Zakaria et al). 2006;140:579-88
Santulli, Thomas Vincent
Thomas Vincent Santulli: a central figure in the development of pediatric surgery in New York City (Cowles et al). 2006; 140:113-7
Schools, medical
The medical education of United States citizens who train abroad (Norcini et al). 2006;140:338-46 (Editorial)
Secretoneurin; *see* Neuropeptides

Sentinel lymph node biopsy
Selective or routine axillary disease staging for patients with clinically lymph node–negative breast cancer? (Hieken and Velasco). 2006;140:500-8
Sepsis
Factors associated with failure in managing pelvic sepsis after ileal pouch-anal anastomosis (IPAA) – a multivariate analysis (Sagap et al). 2006;140:691-704
International integrated database for the evaluation of severe sepsis and drotrecogin alfa (activated) therapy: analysis of efficacy and safety data in a large surgical cohort (Payen et al). 2006;140:726-39
Sepsis syndrome
Bacterial translocation as a source of Dacron-graft contamination in experimental aortic operation: the importance of controlling SIRS (Lozano et al). 2006;140:83-92
Shock, hemorrhagic
Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock (Fujiyoshi et al). 2006;140:810-7
Hypertonic saline resuscitation improves intestinal microcirculation in a rat model of hemorrhagic shock (Zakaria et al). 2006;140:579-88
Shock, traumatic
Amiloride moderates increased gut permeability and diminishes mesenteric lymph-mediated priming of neutrophils in trauma/hemorrhagic shock (Fujiyoshi et al). 2006;140:810-7
Sialoglycoproteins
Osteopontin inhibits macrophage nitric oxide synthesis to enhance tumor proliferation (Wai et al). 2006;140:132-40
Signal transduction
Clathrin heavy chain is required for TNF-induced inflammatory signaling (Escobar et al). 2006;140:268-72
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306
Society of University Surgeons
The surgeon-scientist in a new biomedical research era (Gittes). 2006;140:123-31
Socioeconomic factors
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68. Correction). 2006;140:1065
Soft tissue injuries
17β-estradiol administration following trauma-hemorrhage prevents the increase in Kupffer cell cytokine production and MAPK activation predominately via estrogen receptor-α (Suzuki et al). 2006;140:141-8
Software
Implementation of a novel web-based objective structured clinical evaluation (Nackman et al). 2006;140:206-11
Spectroscopy, near-infrared
Radiolabeled and near-infrared fluorescent fibrinogen derivatives create a system for the identification and repair of obscure gastrointestinal bleeding (Ohnishi et al). 2006;140:785-92
Spleen
Improved outcome of adult blunt splenic injury: a cohort analysis (Rajani et al). 2006;140:625-32
A new technique for spleen preservation with radiofrequency (Jiao et al). 2006;140:464-6
Splenectomy
A new technique for spleen preservation with radiofrequency (Jiao et al). 2006;140:464-6
STAT1 transcription factor
Interferon α and CPG oligodeoxynucleotides elicit additive immunostimulatory and antitumor effects (Brown et al). 2006;140:297-306
STAT3 transcription factor
Interleukin-6 and STAT3 protect the liver from hepatic ischemia and reperfusion injury during ischemic preconditioning (Matsumoto et al). 2006;140:793-802
Stents
Emergency endovascular stent-graft treatment for acute thoracic aortic syndromes (Caronno et al). 2006;140:58-65
Stomach
Familial adenomatous polyposis predisposes to pathologic exposure of the stomach to bilirubin (Mabrut et al). 2006;140:818-23
Gastric body partition to avoid ulcerogenic risk and hypergastrinemia (Shyu et al). 2006;140:44-9
Stomach neoplasms
Erratum to "Inequity of upper gastrointestinal cancer distribution and survival with socioeconomic deprivation: a population-based study (Roy et al). 2005;138:859-68. Correction). 2006;140:1065
Stromal cells
Intraductal papillary-mucinous neoplasms and mucinous cystic neoplasms of the pancreas differentiated by ovarian-type stroma (Murakami et al). 2006;140:448-53
Surgeons
The discovery of new knowledge: our scientific mission (Michelassi). 2006;140:485-90
The surgeon-scientist in a new biomedical research era (Gittes). 2006;140:123-31
Surgery
Changes of the speaking and singing voice after thyroid or parathyroid surgery (Musholt et al). 2006;140:978-89
The Mayo Clinic-Rochester experience with IMGs as general surgery trainees (Lamb and Farley). 2006;140:351-3 (Editorial)
Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival (Givi et al). 2006;140:891-8
Preemptive surgery (McAuliffe and Cance). 2006;140:1-5
Rural hospitals and volume standards in surgery (Dimick and Finlayson). 2006;140:367-71
Selecting international medical graduates (IMGs) for training in US surgical residencies (Horvath and Pellegrini). 2006;140:347-50 (Editorial)
Thomas Vincent Santulli: a central figure in the development of pediatric surgery in New York City (Cowles et al). 2006;140:113-7
Surgical mesh
Mesh incisional herniorrhaphy increases abdominal wall elastic properties: a mechanism for decreased hernia recurrences in comparison with suture repair (DuBay et al). 2006;140:14-24
Surgical procedures, elective
Differences and similarities between rural and urban operations (Galandiuk et al). 2006;140:589-96
Surgical procedures, minimally invasive
Robotic minimally invasive mitral valve reconstruction yields less blood product transfusion and shorter length of stay (Woo and Nacke). 2006;140:263-7

Surgical procedures, operative
Patterns and operative treatment of recurrent Crohn's disease: a prospective longitudinal study (Fichera et al). 2006; 140:649-54
Survivin; *see* Microtubule-associated proteins; Neoplasm proteins
Sutures
Mesh incisional herniorrhaphy increases abdominal wall elastic properties: a mechanism for decreased hernia recurrences in comparison with suture repair (DuBay et al). 2006;140:14-24
Symporters
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34

T

Tamoxifen
Effect of vitamin E on tamoxifen-treated breast cancer cells (Peralta et al). 2006;140:607-15
Task performance and analysis
Selecting international medical graduates (IMGs) for training in US surgical residencies (Horvath and Pellegrini). 2006; 140:347-50 (Editorial)
Technetium Tc 99m aggregated albumin
Preoperative regional maximal removal rate of technetium-99m-galactosyl human serum albumin (GSA-Rmax) is useful for judging the safety of hepatic resection (Kwon et al). 2006;140:379-86
Technetium Tc 99m sestamibi
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140: 837-8 (Letter)
Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Radionuclide imaging for hyperparathyroidism (HPT): which is the best technetium-99m sestamibi modality? (Sharma et al). 2006;140:856-65
What is the link between nonlocalizing sestamibi scans, multigland disease, and persistent hypercalcemia? A study of 401 consecutive patients undergoing parathyroidectomy (Chiu et al). 2006;140:418-22
Technetium-99m-galactosyl human serum albumin; *see* Technetium Tc 99m aggregated albumin
The I.V. League
The I.V. League: "Congratulations! I heard they made you an 'emeritus.' Should have done that years ago." (Pories). 2006;140:395
The I.V. League: "Thank you. In this hour, I will cover all of medical science with 472 slides" (Pories). 2006;140:772
The I.V. League "Any other questions?" (Pories). 2006;140:65 (Cartoon)
Thiazolidinediones
A phase II trial of rosiglitazone in patients with thyroglobulin-positive and radioiodine-negative differentiated thyroid cancer (Kebebew et al). 2006;140:960-7
Thoracic arteries
"Using an internal thoracic artery holder in pancreaticojejunostomy" (Satoi et al). 2006;140:836-7 (Letter)
Thyroglobulin
Routine ipsilateral level VI lymphadenectomy reduces postoperative thyroglobulin levels in papillary thyroid cancer (Sywak et al). 2006;140:1001-7
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42
Thyroid gland
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery with statistical considerations (Polednak). 2006;140:481 (Letter)
Changes of the speaking and singing voice after thyroid or parathyroid surgery (Musholt et al). 2006;140:978-89
Re: "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Toniato and Boschin). 2006; 140:482-3 (Letter); Yalçin). 2006;140:481-2 (Letter reply)
Response to comments on "Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery" (Yalçin). 2006;140:483 (Letter reply)
Thyroid neoplasms
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15
Contralateral papillary thyroid cancer at completion thyroidectomy has no impact on recurrence or survival after radioiodine treatment (Grigsby et al). 2006;140:1043-9
Long-term results and functional outcome after cervical evisceration in patients with thyroid cancer (Brauckhoff et al). 2006;140:953-9
Lymph node metastases in differentiated thyroid cancer under 2 cm (Reddy et al). 2006;140:1050-5
Patterns of expression of cell cycle/apoptosis genes along the spectrum of thyroid carcinoma progression (Saltman et al). 2006;140:899-906
A phase II trial of rosiglitazone in patients with thyroglobulin-positive and radioiodine-negative differentiated thyroid cancer (Kebebew et al). 2006;140:960-7
Routine central neck lymph node dissection for thyroid carcinoma (Doherty). 2006;140:1007-8 (Editorial)
Routine ipsilateral level VI lymphadenectomy reduces postoperative thyroglobulin levels in papillary thyroid cancer (Sywak et al). 2006;140:1001-7
Thyroid tumors with preoperative recurrent laryngeal nerve palsy: clinicopathologic features and treatment outcome (Chiang et al). 2006;140:413-7
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42
Thyroid nodule
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140: 837-8 (Letter)
Thyroidectomy
Contralateral papillary thyroid cancer at completion thyroidectomy has no impact on recurrence or survival after radioiodine treatment (Grigsby et al). 2006;140:1043-9
Parathyroid hormone levels 4 hours after surgery do not accurately predict post-thyroidectomy hypocalcemia (Lombardi et al). 2006;140:1016-25

The role of intraoperative neuromonitoring of recurrent laryngeal nerve during thyroidectomy: a comparative study on 1000 nerves at risk (Chan et al). 2006;140:866-73
Surgical management of Graves disease in childhood and adolescence: an institutional experience (Sherman et al). 2006;140:1056-62
Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries (Lombardi et al). 2006;140:1026-34

Thyrotropin
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42

Tissue donors
Experience with dual kidney transplants from donors at the extremes of age (Moore et al). 2006;140:597-606

Tissue engineering
Postnatal myocardial augmentation with skeletal myoblast–based fetal tissue engineering (Fuchs et al). 2006;140:100-7

TLK1B; *see* Protein-serine-threonine kinases

T-lymphocytes
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8

Toll-like receptor 8
High-avidity antitumor T-cell generation by toll receptor 8–primed, myeloid-derived dendritic cells is mediated by IL-12 production (Xu et al). 2006;140:170-8

Tomography, computed, single photon
Radionuclide imaging for hyperparathyroidism (HPT): which is the best technetium-99m sestamibi modality? (Sharma et al). 2006;140:856-65

Tomography, emission computed
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140:837-8 (Letter)

Tomography, emission computed, single photon
"Decisive presurgical role of MIBI SPECT/CT in identifying within a calcific thyroid nodule the parathyroid responsible for primary hyperparathyroidism" (Piga et al). 2006;140:837-8 (Letter)

Tomography, x-ray computed
Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2

Total quality management
Improving operating room efficiency through process redesign (Harders et al). 2006;140:509-16

Transforming growth factor beta
Role of platelet-derived growth factor and transforming growth factor β_1 the in the regulation of metalloproteinase expressions (Borrelli et al). 2006;140:454-63
TGF-β inhibits Akt-induced transformation in intestinal epithelial cells (Cao et al). 2006;140:322-9

Transplantation, heterologous
Mesenchymal stem cells enhance xenochimerism in NK-depleted hosts (Moadsiri et al). 2006;140:315-21

Transplantation, isogeneic
Orthotopic transplantation of intestinal mucosal organoids in rodents (Avansino et al). 2006;140:423-34

Transplants
Emergency endovascular stent-graft treatment for acute thoracic aortic syndromes (Caronno et al). 2006;140:58-65

Trauma centers
Analysis of trends in the Florida Trauma System (1991-2003): changes in mortality after establishment of new centers (Pracht et al). 2006;140:34-43

Treatment outcome
Anatomical and technical aspects of hepatic artery reconstruction in living donor liver transplantation (Takatsuki et al). 2006;140:824-8
Improved outcome of adult blunt splenic injury: a cohort analysis (Rajani et al). 2006;140:625-32
Operative resection of primary carcinoid neoplasms in patients with liver metastases yields significantly better survival (Givi et al). 2006;140:891-8
Patient-reported outcomes after inguinal herniorrhaphy (Hawn et al). 2006;140:198-205
A phase II trial of rosiglitazone in patients with thyroglobulin-positive and radioiodine-negative differentiated thyroid cancer (Kebebew et al). 2006;140:960-7
"Posterior retroperitoneoscopic adrenalectomy. Results of 560 procedures in 520 patients" (Evans and Perrier). 2006;140:951-2 (Editorial)
Posterior retroperitoneoscopic adrenalectomy—results of 560 procedures in 520 patients (Walz et al). 2006;140:943-50

Tumor markers, biological
Apoptosis-mediated medullary thyroid cancer growth suppression by the PI3K inhibitor LY294002 (Kunnimalaiyaan et al). 2006;140:1009-15

Tumor necrosis factor-alpha
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96
Clathrin heavy chain is required for TNF-induced inflammatory signaling (Escobar et al). 2006;140:268-72

U

Ultrasonography
Improved preoperative planning for directed parathyroidectomy with 4-dimensional computed tomography (Rodgers et al). 2006;140:932-41
Invited commentary: Four-dimensional computed tomography permits preoperative planning for directed parathyroidectomy (McHenry). 2006;140:941-2
Localization of hyperfunctioning parathyroid glands by selective venous sampling in reoperation for primary or secondary hyperparathyroidism (Reidel et al). 2006;140:907-13
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42

Up-regulation
Angiotensin II and tumor necrosis factor-alpha upregulate survivin and Kruppel-like factor 5 in smooth muscle cells: potential relevance to vein graft hyperplasia (Bafford et al). 2006;140:289-96
Up-regulation of TLK1B by eIF4E overexpression predicts cancer recurrence in irradiated patients with breast cancer (Wolfort et al). 2006;140:161-9

Urban health services
Differences and similarities between rural and urban operations (Galandiuk et al). 2006;140:589-96

V

Vacuum
Enterocutaneous fistula: are treatments improving? (Draus, Jr. et al). 2006;140:570-8
Vascular endothelial growth factor A
Mast cells facilitate local VEGF release as an early event in the pathogenesis of postoperative peritoneal adhesions (Cahill et al). 2006;140:108-12
Vocal cord paralysis
Thyroid tumors with preoperative recurrent laryngeal nerve palsy: clinicopathologic features and treatment outcome (Chiang et al). 2006;140:413-7
Voice
Changes of the speaking and singing voice after thyroid or parathyroid surgery (Musholt et al). 2006;140:978-89
Voice and swallowing changes after thyroidectomy in patients without inferior laryngeal nerve injuries (Lombardi et al). 2006;140:1026-34

W

Weight loss
The malabsorptive very, very long limb Roux-en-Y gastric bypass for super obesity: results in 257 patients (Nelson et al). 2006;140:517-23
Whole body imaging
Thyrotropin-stimulated serum thyroglobulin combined with neck ultrasonography has the highest sensitivity in monitoring differentiated thyroid carcinoma in children (Antonelli et al). 2006;140:1035-42
Wounds, nonpenetrating
Improved outcome of adult blunt splenic injury: a cohort analysis (Rajani et al). 2006;140:625-32

X

Xenotransplantation; *see* Transplantation, heterologous

Y

Yttrium radioisotopes
Treatment with ^{90}Y- and ^{177}Lu-DOTATOC in patients with metastatic neuroendocrine tumors (Frilling et al). 2006; 140:968-77

Z

Zoledronate; *see* Diphosphonates
Zollinger-Ellison Syndrome
"Ovarian mucinous cystadenoma as an etiology of the Zollinger-Ellison Syndrome" (Davis et al). 2006;140:836 (Letter)